



HAAT Supreme Wastech Pvt. Ltd.

Village & Post Office Bajida Jattan, District Karnal

Email: haatsupreme@yahoo.in

Dated: 22.05.2026

To


1. The Chairman,
State Level Environment Impact Assessment Authority,
Bays No.55-58, Prayatan Bhawan, Sector-2 Panchkula.
seiaa-21.env@hry.gov.in
2. The Member Secretary,
Haryana State Pollution Control Board,
C-11, Sector-6, Panchkula.
mshspcb@gmail.com
3. The Regional Officer,
Ministry of Environment & Forests
Sector 31-A, Section 24 & 25, South Road, Chandigarh, 160030
ronz.chd-mef@nic.in
4. The Regional Officer,
Haryana State Pollution Control Board,
Karnal
hspcbrokar@gmail.com

Sub: Six Monthly Compliance Report for June, 2026.

Respected Sir,

Please find enclosed herewith six monthly compliance report of June, 2026 (October, 2025 to March, 2026) through email and is being uploaded on Parivesh Portal for kind information and necessary action.

DA/Report

For Haat Supreme Wastech Pvt. Ltd

Auth. Sign

Head Office : # 316, Defence Colony, Hisar
Mob : 9992600126, 99927-15000

**Six-Monthly Compliance Report
of
Stipulated Conditions
of
Environmental Clearance**

**(October, 2025 to March, 2026)
June, 2026**

FOR

"CBWTF

"

**HAAT Supreme Wastech Pvt Ltd.,
Village Bajida Jattan,
District Karnal, Haryana**

For Submission to:

- 1. State Environment Impact Assessment Authority, Haryana.**
- 2. Ministry of Environment, Forest & Climate Change (MoEFCC).**
- 3. Haryana State Pollution Control Board.**

Submitted by:

HAAT Supreme Wastech Pvt Ltd.

Table of Contents

S.No.	Contents	Page
1	INTRODUCTION & PROJECT DESCRIPTION	1
	1.1 INTRODUCTION	1-2
	1.2 PROJECT DESCRIPTION	2
2	COMPLIANCE OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE	3
	A SPECIFIC CONDITIONS	3-6
	B STATUTORY COMPLIANCE	7-9
	I Air Quality Monitoring and Preservation	9-10
	II Water Quality Monitoring and Preservation	10-12
	III Noise Monitoring and Preservation	12-13
	IV Public Hearing and Human Health Issues	13-14
	IV Corporate Environment Responsibility	14-15
	VI Miscellaneous	15-19
(i)	Chart showing results of trade effluent after treatment in ETP	20
(ii)	Chart showing results of Air Emissions (Incinerator)	21

3	Annexure 1 to 15	22
Annexure	Content	Page
1	Consent to Operate under Water/Air Acts, 1974/1981 with validity upto 30.09.2025	23-27
2	Authorization under HWTM Rules with validity upto 30.09.2028	28-30
3	Authorization under BMW Rules with validity upto 30.09.2025	31-35
4	ETP Sludge Manifest dated 12.03.2026	36
5	Bills of supply of water through tanker for the month of October, 2025	37
6	Bill of supply of water through tanker for the month of March, 2026	38
7	Calibration Certificate dated 17.02.2026 for Continuous Emission Monitoring System	39
8	Analysis Report of Trade Effluent dated 07.03.2026	40
9	Electricity Bill UHBVN dated 12.03.2026	41
10	Analysis Report of Air Emissions (Incinerator) dated 07.03.2026	42
11	Noise Monitoring Report dated 11.03.2026	43
11 A	Agreement under hazardous Waste Management Rules with GEPIIL	44-58

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

12	Health Reports of workers	59-62
13	Six Monthly expenditure incurred on various activities in compliance of implementation of Environment Management Plan for the period 01.10.2025 to 31.03.2026	63
14	Environmental Policy	64-68
15	Proof of receipt of submission of Environment Statement	69
	Photographs	70

1

1.1 INTRODUCTION

- Six monthly environmental compliance report is submitted for period April, 2024 to September, 2024 for "Common Bio Medical Waste Treatment Facility" (CBWTF) of M/s HAAT Supreme Wastech Pvt Ltd. The CBWTF is located at Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil and District Karnal, Haryana.
- Environmental Clearance had been obtained from State Environment Impact Assessment Authority, Haryana vide letter no.: SEIAA/HR/2019/469 dated 13.12.2019.
- Consent to operate for the project had been obtained from Haryana State Pollution Control Board under Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 vide letter no. HSPCB/Consent/: 320220925KARCTO109918499 dated 13.08.2025 (**Annexure-1**) with validity from 01.10.2025 to 30.09.2030.
- Authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 had been obtained from Haryana State Pollution Control Board vide letter no. HWM/KAR/2024/79314920 dated 30.10.2024 (**Annexure-2**) with validity upto 30.09.2028.
 - Authorization under Bio Medical Waste Management Rules, 2016 had been obtained from Haryana State Pollution Control Board vide letter no. BMW25KAR110389334 dated 19.08.2025 with validity from 01.10.2025 to 30.09.2030 (**Annexure-3**).
- Specific and general conditions stipulated in Environmental Clearance as applicable have been complied.
- Environmental mitigation measures described in Environmental

Management Plan are being implemented in operational phase.

- HAAT Supreme Wastech Pvt Ltd is fully conscious about Environmental

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Management and enhancing green belt development in CBWTF and in surrounding area.

- Six monthly compliance report for October, 2025 to March, 2026 for conditions stipulated in the Environmental Clearance letter issued by SEIAA, Haryana on 13.12.2019 are enclosed.
- Photographs in view of implemented mitigation measures and other compliances are also attached for ready reference.

1.2 PROJECT DESCRIPTION

- Incinerator Capacity 70 Kg/hr.
- Autoclave Capacity 50 Kg/batch.
- Shredder Capacity 25 Kg/hr.
- Ash Pit 1 No.
- Sharp Pit 1 No.
- Effluent Treatment Plant (ETP) comprising of Collection-cum-Equalization Tank, Air Blower, Chemical Reaction, Settling tank, Pressure Sand Filter, Activated Carbon Filter and Final Treated Tank.
- Air Pollution Control Devices (APCD) comprising of Dust Collector, Venturi Scrubber and Mist Eliminator with stack height of 31 meter.
- Online Continuous Emission Monitoring System with stack of Incinerator has been installed.

2

COMPLIANCE OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE

A. SPECIFIC CONDITIONS

S.No	Conditions	Compliance Status
1	The sludge of ETP shall be disposed of as per the guidelines of SPCB/CPCB.	The sludge of ETP is being disposed of to Common Hazardous Waste Treatment and Disposal Facility approved by HSPCB namely M/s GEPIL located at Faridabad. Copy of manifest dated 12.03.2026 is enclosed at Annexure-4 .
2	The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies.	Complied.
3	The PP shall obtain the permission regarding withdrawal of ground water from CGWA before the start of the project and also obtained the CTO from HSPCB after the approval from CGWA.	The permission from withdrawal of ground water from CGWA is not required as requirement of fresh water is being met from tankers. Two bills of month October, 2025 and March, 2026 are enclosed at Annexure- 5 and 6 respectively. Consent to operate for the project had been obtained from Haryana State Pollution Control Board under Water/Air (Prevention and Control of Pollution) Act, 1974/1981 vide letter no. 320220925KARCTO109918499 dated 13.08.2025 (Annexure-1) with validity from 01.10.2025 to 30.09.2030.

4	The PP shall not allow to park the vehicles on the roads or revenue rasta outside the project area.	Complied.
5	The PP shall take all measures to control the smell coming out of the project.	Complied. (i) Impact of odour on Air Quality Odour sensation is induced by inhaling airborne volatile organics or inorganic which may or may not have toxic effects. Partial putrefaction of the waste produces obnoxious odorous volatile organic and inorganic substances which spoils the aesthetic environment for human beings. The people who reside nearby CBWTF to a major extent experience the odour nuisance. Odour is typically generated, if the biomedical waste is not timely treated. (ii) Mitigation measures Following mitigation measures are being adopted at site to control odour. • Waste collecting vehicles, containers and store rooms are washed on daily basis. • The biomedical waste is treated within 48 hours. • Closed cabin vehicles are used for the collection and transportation of biomedical wastes. • Masks are provided to workers to avoid health issues due to odour.

		- Adequate green belt/plantation has been developed to control odour. - Good housekeeping practices are being and will be followed. - Dilutions of odorant by odour counter action or neutralize by spraying Ecosorb (organic and biodegradable chemical) around odour generation areas at regular intervals.
6	The PP shall carry out the quarterly awareness programs for the residents of the stakeholders of the project.	Complied.
7	Any change in stipulations of EC will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance.	Agreed.
8	The project proponent shall install emission monitoring system including Dioxin and furans to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPBC online servers.	Complied. Further, Online Emission Monitoring System (OCEMS) is connected to CPCB and HSPCB server.
9	The PP shall get calibrate emission monitoring system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Complied. The calibration certificate dated 17.02.2026 issued by supplier of CEMS is enclosed at Annexure-7 .
10	The PP shall run the facility at the existing capacity level as per the CTE/CTO issued by the HSPCB for the current financial year.	Complied.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

11	The PP shall comply with the NGT orders and other necessary directions issued by any other competent authority for CBWTF.	Complied.
12	The Rain water runoff from hazardous waste storage area shall be collected and treated in the effluent treatment plant.	Complied.
13.	The PP shall not allow the rain water runoff from hazardous waste storage into the 01 proposed RWH.	Complied.
14	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The Existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 1500.16 sqm (@37.07% of plot area) area shall be provided for green area development.	Complied. Further, plants are being provided as per space available.
15	The PP shall implement the bar coding system as per the approved MoU dated 23.05.2019 in compliance with BMW rules 2016.	Complied.
16	The BOD value of ETP shall be maintained below 10 ppm.	Complied. The Analysis Report no. ETL/PNP/WW0702 dated 07.03.2026 issued by Laboratory of Envirochem Testing and Consultancy LLP, Panipat showing BOD value 8.6 mg/l is enclosed at Annexure-8 .

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

B. Statutory compliance:

S.No.	Conditions	Compliance Status
i.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986 in case of the diversion of forest land for non-forest purpose involved in the project.	Not applicable.
ii.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable.
iii.	The project proponent shall prepare a Site-Specific Conservation Plan and wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan/wildlife Management Plan shall be implemented in consultation with the State forest Department. The implementation report shall be furnished along with the six- monthly compliance report. (in case of the presence of schedule-1 species in the study area)	There is no presence of schedule-1 species in the study area.
v.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.	The CBWTF is an existing facility established and operating since 2004. Consent to operate for the project had been obtained from Haryana State Pollution Control Board under Water/Air (Prevention and Control of Pollution) Act, 1974/1981 vide letter no. 320220925KARCTO109918499 dated 13.08.2025 (Annexure-1) with validity from 01.10.2025 to 30.09.2030.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

v.	Transportation and handling of Bio- medical Wastes shall be as per the Biomedical Wastes (Management and Handling) Rules, 2016 including the section 129 to 137 of Central Motor Vehicle Rules 1989.	Complied. Covered vehicles are being used for transportation of bio medical waste from HCFs to CBWTF regularly.
vi.	Project shall fulfill all the provisions of hazardous Wastes (Management, handling and Transboundary Movement) Rules, 2016 including collection and transportation design etc and also guidelines for Common Hazardous Waste Incineration----2005, issued by CPCB Guidelines of CPCB/MPPCB for Bio-medical Waste Common hazardous Waste incinerators shall be followed.	Complied. Authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 had been obtained from Haryana State Pollution Control Board vide letter no. HWM/KAR/2024/79314920 dated 30.10.2024 (Annexure-2) with validity upto 30.09.2028.
vii.	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water/from the competent authority concerned in case of drawl of surface water required for the project.	The permission from withdrawal of ground water from CGWA is not required as requirement of fresh water is being met from tankers. Bills for month of October, 2025 and March, 2026 are enclosed at Annexure- 5 and 6 respectively.
viii.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Electricity bill of UHBVN dated 12.03.2026 is enclosed at Annexure- 9 .
ix.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department,	Not applicable being an existing project. Further, provision has been made for control of fire by

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

	Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities.	providing bucket filled with sand and fire extinguisher in the facility.
--	---	--

I. Air quality monitoring and preservation

S.No.	Conditions	Compliance Status
i.	The project proponent shall install emission monitoring system including Dioxin and furans to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these systems from time to time, according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Complied. Further, Online Emission Monitoring System is connected to CPCB and HSPCB server. The calibration certificate dated 17.02.2026 issued by supplier of CEMS is enclosed at Annexure-7 .
ii.	Periodical air quality monitoring in and around the site including VOC, HC shall be carried out.	The periodical air quality monitoring in and around the site including VOC, HC will be submitted with the Six Monthly Compliance Report for December, 2026.
iii.	Incineration plants shall be operated (combustion chambers) with such temperature, retention time and turbulence, so as to achieve Total Organic Carbon (TOC) content in the slag and bottom ashes less than 3% , or their loss on ignition is less than 5% of the dry weight of the material.	The incinerator is being operated after obtaining desired temperature in primary and secondary chamber stipulated in Bio Medical waste Rules.
iv.	Venturi scrubber (alkaline) should be provided with incinerator with stack of adequate height (Minimum 30 meters) to control particulate emission within 50mg/nm ³ .	Complied. The Analysis Report no. ETL/PNP/SE0708 dated 07.03.2026 issued by Laboratory of Envirochem Testing and Consultancy LLP, Panipat showing particulate emission of 43.3

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

		mg/nm ³ against limits of 50 mg/nm ³ is enclosed at Annexure-10 .
v.	Appropriate Air Pollution Control (APC) system shall be provided for fugitive dust from all vulnerable sources, so as to comply prescribed standards. All necessary air pollution control devices (quenching Venturi scrubber, mist eliminator) should be provided for compliance of emission standards.	Complied. The facility has provided Dust Collector, Venturi Scrubber and Mist Eliminator alongwith adequate stack height of more than 30 meters as air pollution control devices for compliance of emission standards.
vi.	Masking agents should be used for odour control.	Sodium Hypochlorite is being sprayed for odour control. Further, to control the smell, the bio medical waste is being treated and disposed of within 48 hours of generation as per Bio Medical Waste Management Rules.

II. Water quality monitoring and preservation

S.No.	Conditions	Compliance Status
i.	The project proponent shall install effluent monitoring systems with respect to standards prescribed in Environment (Protection) Act, 1986 or NABL accredited laboratories.	Continuous online monitoring emission system has been provided for air emissions. However, none of CBWTF has installed effluent monitoring system.
ii.	Waste water generated from the facility shall be treated in the ETP and treated waste water shall be reused in the APCD connected to the incinerator. The water quality of treated effluent shall meet the norms prescribed by state Pollution Control Board. Zero discharge should be maintained.	Complied.
iii.	Process effluent/any waste water should not be allowed to mix with storm water.	Complied.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

iv.	Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.	Agreed and Complied. Further, permission from withdrawal of ground water from CGWA is not required as requirement of fresh water is being met from tankers. Bills for month of October, 2025 and March, 2026 are enclosed at Annexure- 5 and 6 respectively.
v.	Sewage Treatment Plant shall be provided to treat the wastewater generated from the project. Treated water shall be reused within the project.	There is no requirement of installation of Sewage Treatment Plant as effluent discharge is less than 10 KLD and our facility had already provided septic tank/soak pit.
vi.	A certificate from the competent authority for discharging treated effluent/untreated effluents into the Public sewer/disposal/drainage systems along with final disposal point should be obtained.	Not required as treated effluent from ETP is being used in horticulture, washing of vehicles, floor washing and used as make up water in scrubber for re-circulation.
vii.	The leachate from the facility shall be collected and treated to meet the prescribed standards before disposal.	Complied. The Analysis Report no. ETL/PNP/WW0702 dated 07.03.2026 issued by Laboratory of Envirochem Testing and Consultancy LLP, Panipat showing BOD value 8.6 mg/l is enclosed at Annexure-8 .
viii.	Magnetic flow meters shall be provided at the inlet and outlet of the ETP and all ground abstraction points and records for the same shall be maintained regularly.	Complied.
ix.	Rain water runoff from hazardous waste storage area shall be collected and treated in the effluent treatment plant.	Complied.

III. Noise monitoring and prevention

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

S.No.	Conditions	Compliance Status
i.	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz 75 dB(A) during day time and 70 dB(A) during night time. V. Energy Conservation measures i. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly; i. Provide LED lights in their offices. VI. Waste management i. incinerated ash shall be disposed at approved TSDF and MoU made in this regard shall be submitted to the Ministry prior to the commencement.	Noise monitoring has been analysed and report has been issued on 11.03.2026 by NABL accredited laboratory namely Envirochem Testing Lab and Research Centre, Panipat is enclosed at Annexure-11 . The solar lights for common areas have been installed. The LED lights have been provided in the office and in the facility wherever required. Incineration ash is being disposed off to approved TSDF i.e. M/s GEPIL, Faridabad. Copy of agreement is enclosed at Annexure-11 A .
ii.	The solid wastes shall be segregated as per the norms of the Solid Waste Management Rules, 2016.	Complied. However, no substantial quantity of solid waste is being generated.
iii.	A certificate from the competent authority handling municipal solid wastes should be obtained, including the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project.	Not required.
iv.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.	Agreed.
v.	No landfill site is allowed within the CBWTF site	Complied as there is no landfill site in the facility.
vi.	The Project proponent shall not store the Hazardous waste more than the quantity the has been permitted by the CPCB/SPCB.	Complied.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

vii.	Green belt shall be developed in area as provided in project details, with native treeGreen belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The green belt shall inter alia cover the entire periphery of the plant.	Complied.
------	---	-----------

IV. Public Hearing and Human Health Issues

S.No.	Conditions	Compliance Status
i.	Feeding of materials/Bio-medical waste should be mechanized and automatic. No manual feeding is permitted.	Complied.
ii.	Proper parking facility should be provided For employees and transport used forcollection and disposal of waste materials.	Complied.
iii.	Necessary provision shall be made for fire –fighting facilities within the complex.	Buckets filled with sand and fire extinguishers have been providedin the facility.
iv.	Emergency preparedness plan based onthe Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan mentioned in EIA Report will be implemented as and when required.
v.	Emergency plan shall be drawn in consultation with SPCB/CPCB and implemented in order to minimize the hazards to human health or environment form fires, explosion or any unplanned sudden or gradual release of hazardous waste or hazardous waste constituents to air, soil or surface water.	Emergency Plan has been submitted with EIA Report and will be implemented as per requirement.
vi.	Occupational heath surveillance of the workers shall be done on a regular basis.	Occupational health surveillance ofthe workers is being done on a regular basis. The reports are enclosed at

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

		Annexure-12.
--	--	---------------------

V. Corporate Environment Responsibility

S.No.	Conditions	Compliance Status
i.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	MoEF and CC, Govt. of India F.No. 22-65/2017- IA.III dated 1st May 2018 had been superseded by OM issued vide F.No. 22-65/2017- IA.III dated 30 th September, 2020. The status of funds is enclosed at Annexure-13.
ii.	The company shall have a well laid down environment policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/ violation of the environmental/forest/wild life norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental / forest / wild life norms/conditions and/or shareholders/ stakeholders. The copy of the Board resolution in this regard shall be submitted to the MoEFandCC as a part of six-monthly report.	The environment policy is enclosed at Annexure-14.
iii.	A separate environmental cell both at the project and the company head quarter level, with qualified personnel shall be setup under the control of senior Executive, who will directly to the Head of the organization.	Environment Cell has been defined in environment policy.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

iv.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with Six Monthly Compliance Report.	Agreed and Complied. The detail of funds is enclosed at Annexure-13.
v.	Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Self/Third party environmental audit report will be submitted with Six Monthly Compliance Report for the period December, 2026.

VI. Miscellaneous

S.No	Conditions	Compliance Status
i.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environmental clearance and the details of MoEF and CC/SEIAA website where it is displayed.	Complied.
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.	Complied.
iii.	The project proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including	Agreed and complied.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

	results of monitored data on their website and updated the same on half-yearly basis.	
iv.	The project proponent shall submit six- monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environmental, Forest and Climate Change at environment clearance portal.	Agreed.
v.	No condition mentioned at S.No. v in EC letter dated 13.12.2019.	
vi.	The project proponent shall submit the environmental statement of each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (protection) Rules, 1986, as amended subsequently and put on the website of the company.	Complied. The copy of receipt as proof is enclosed as Annexure-15 .
vii.	The criteria pollutant levels namely; PM ₁₀ , PM _{2.5} , SO _x , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Complied and displayed near the main gate of the facility.
viii.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Agreed.
ix.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during	Complied. Further, it is informed that being an existing project, no public hearing was

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

	Public Hearing and also that during their presentation to the Expert Appraisal Committee.	held in view of SEIAA memo No. SEIAA/HR/2017/630 dated 14.09.2017.
x.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF and CC).	Complied.
xi.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed.
xii.	The Ministry/SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed.
xiii.	The Ministry/SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Agreed.
xiv.	The Regional office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	Agreed.
xv.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention and Control of pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme	Agreed.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026


	Court of India / High Courts/NGT and any other Court of Law relating to the subject matter.	
xvi.	Any appeal against this EC shall lie with /National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act.	Agreed.
xvii.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (soft copies) to the northern Regional Office of MoEF, HSPCB and SEIAA Haryana.	Agreed.
xviii.	The project proponent shall not violate any judicial orders/pronouncements issued by any Court/Tribunal.	Agreed.
xix.	For disinfection of the treated wastewaterultra-violet radiation or ozonization processshould be used.	Not required as CBWTF has provided adequate ETP to treat theeffluent and the treated effluent passes through carbon and pressure sand filter before final disposal.
xx.	The project proponent shall strive to minimize water in irrigation of landscape by minimizing grass area, using native variety,xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapotranspiration data.	The treated effluent from ETP is being disposed of for horticulture, washing of vehicles, floors and for makeup water in scrubber for re-circulation.
xxi.	The project proponent shall use zero ozone depleting potential material in insulation, refrigeration, air-conditioning and adhesive. Project proponent shall also provide Halon free fire suppression system.	Complied.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026


xxii.	Standards for discharge of environmental pollutants as enshrined in various schedules of rule 3 of Environment Protection Rule 1986 shall be strictly complied with.	Complied.
xxiii.	All electric supply exceeding 100 amp, 3 phase shall maintain the power factor between 0.98 lag to 1 at the point of connection.	Complied.
xxiv.	The project proponent should intimate to the authority well before shifting their address of communication.	Noted and presently there is no Change in address of communication.

(i) Chart showing results of trade effluent after treatment in ETP



Parameter	Results mg/l	Limits mg/l
BOD mg/l	8.6	10
COD mg/l	37	250
Total Suspended Solids mg/l	6	100
Oil and Grease	< 4	10

(ii) Chart showing results of Air Emissions (Incinerator)



Parameter	Results	Limits
SPM mg/m ³	43.3	50
SO2 mg/m ³	5.23	50
NOx mg/m ³	37.4	50



Annexures

1 to 15

Annexure-1

Consent to Operate under Water/Air Acts, 1974/1981 with validity upto 30.09.2030



HARYANA STATE POLLUTION CONTROL BOARD

**Regional Office Karnal , 2nd floor of SCO No.78-79
above PNB bank, near namstay Chowk,
karnal,Haryana. Email:- hspcbrokar@gmail.com
E-mail: hspcb@hry.nic.in**



No. HSPCB/Consent/ : 320220925KARCTO109918499

Dated:13/08/2025

To.

M/s :Haat Supreme Wastech Pvt. Ltd
VPO. Bazida Jattan , Karnal

Subject: Grant of consent to operate to M/s Haat Supreme Wastech Pvt. Ltd.

Please refer to your application no. 109918499 received on dated 2025-06-27 in regional office Karnal. With reference to your above application for consent to operate, M/s Haat Supreme Wastech Pvt. Ltd is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	01/10/2025 - 30/09/2030
Industry Type	Common treatment and disposal facilities(CETP, TSDF, E- waste recycling, CBMWTF, effluent conveyance project, incinerator, solvent/acid recovery plant, MSW sanitary land fill site)
Category	RED
Investment(In Lakh)	24.6
Total Land Area(Sq. meter)	4046.0
Total Builtup Area(Sq. meter)	250.0
Quantity of effluent	
1. Trade	3.0 KL/Day
2. Domestic	0.5 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	Septic Tank
2. Trade	Reused
Domestic Effluent Parameters	
1. NA	
Trade Effluent Parameters	
1. All Applicable Standards as per EP Acts/Rules/Norms	
2. COD	250 mg/l
3. BOD	30 mg/l
4. TSS	100 mg/l
5. pH	6.5-9

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

6. Oil and grease	10 mg/l
Number of stacks	2
Height of stack	
1. Stack to incinerator	30 m
2. 45 KVA generator set	5 Stack Height above Roof Level(meters)
Emission parameters	
1. SPM	50 mg/m ³
2. Hg	0.05 mg/m ³
3. HCl	50 mg/m ³
Product Details	
1. BMW waste	500 Metric Tonnes/day
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. Incinerator	0.08 MT/DAY
Type of Fuel	
1. Electricity	Kilowatt/day
Raw Material Details	
BMW waste	0.5 Metric Tonnes/Day

HARYANA STATE

Regional Officer, Karnal

Haryana State Pollution Control Board.

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.

7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.
17. Industry should adopt water conservation measures to ensure minimum consumption of water in their process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority (CGWA)/ Haryana Water Resources (Conservation, Regulation and Management) Authority (HWRA) for scientific development of precious resource.
18. The industrial/non industrial sector projects shall develop green belt (as applicable) in its premises including periphery, entry and exit, as per notifications/conditions of EC/directions of MOEF/CPCB/SPCB/NGT/ any court of law. In case of stone crushers, hot mix plants, mineral grinding units, screening plants and brick kilns etc., the unit shall develop adequate green belt and erect barrier/barricade/boundary wall as applicable, as per notifications/directions of MOEF/CPCB/SPCB/NGT/ any court of law.
19. The unit shall develop paved or hard surfaced approach road to the site of unit (including the storage site, if it is at different place) from the nearest public road for transportation of raw material/final product.

Specific Conditions :

- 1) Will robustly maintain and operate their ETP and APCM 2) Will apply for extension of CTO 90 days before expiry of this CTO. 3) Will not discharge any untreated DE/TE from it's premise 4) Will immaculately maintain logbook of the ETP and APCM 5) Will only use "approved fuel" as prescribed by competent authority from time to time 6) Will abide by all the

general and specific conditions/norms/directions of the HSPCB, CPCB, MoEF&CC, Hon'ble NGT and CAQM 7) Will deposit pending fees if any in the future. 8) Unit willn't add any production capacity/polluting process/ under take expansion without taking CTE expansion 9) Will abide by the new HWM rules and guidelines for units lying in proximity to the severely polluted cities as per CEPI score (if applicable) 10) Will abide by the Hon'ble NGT directions promulgated in order dated 23/08/2019 in matter of OA No. 1038/2018 (if applicable) 11) CTO granted is without prejudice to the action to be taken in respect of any violation made by unit in past & CTO will be deemed revoked & further action will be taken as per law if any violation observed at any stage. 12) Will add new APCMs and pollution control devices, or modify the existing ones depending upon any change in directions, norms, limits, etc from time to time. 13) Will abide by all the CAQM directions as issued from time to time. 14) CTO so granted is subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project. 15) The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time. 16) The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989 17) Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps. 18) Any appeal against this Consent shall lie with the Appellate Authority (as constituted by the State Government of Haryana), if preferred, within a period of 30 days as prescribed under Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981. 19) Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system. 20) The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent. 21) Total fresh water requirement shall not exceed the permission granted by the Haryana Water Resources Authority (HWRA) or CGWA (in case of prior NOC Obtained from them). Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard. 22) The project authorities must strictly adhere to the stipulations made by the Haryana State Pollution Control Board (hereby referred as HSPCB) and the State Government. 23) No further expansion or modifications in the plant shall be carried out without prior approval/permission of the HSPCB 24) Concealing factual data or submission of false/fabricated data may result in revocation of this NOC and attract action under the relevant provisions of Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 25) The HSPCB may revoke or suspend the clearance/permission/consent, if implementation of any of the above conditions is not satisfactory. 26) The HSPCB reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions. 27) The project proponent shall submit the environmental statement for each financial year in Form-V to the Haryana State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company. 28) Storage of raw materials, fuel etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions. 29) Shall comply with the Guidelines for Common Bio-medical Waste Treatment and Disposal Facilities

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

issued by the CENTRAL POLLUTION CONTROL BOARD (April 12, 2025) 30) Shall comply with the Guidelines for Management of Healthcare Waste as per Biomedical Waste Management Rules, 2016.

KAMALJIT SINGH Digitally signed by KAMALJIT SINGH
Regional Officer, Karnal
Haryana State Pollution Control Board.



Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.
Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Annexure-2

Authorization under HWTM Rules with validity upto 30.09.2028

Application no. :79314920

Industry id: 14KAR659459

Date: 30/10/2024



Haryana State Pollution Control Board
Regional Office Karnal , 2nd floor of SCO No.78-79 above PNB bank, near
namstay Chowk, karnal,Haryana. Email:- hspcbrokar@gmail.com



No. :HWM/KAR/2024/79314920

DT: 30/10/2024

To

M/s Haat Supreme Wastech Pvt. Ltd
VPO. Bazida Jattan , Karnal
Karnal

Sub: Grant of Authorization under Hazardous and Other Wastes(Management & Transboundary Movement) Rules, 2016

- Reference of application:79314920 dated: 30/10/2024
- Ishwar Gulia of Haat Supreme Wastech Pvt. Ltd is hereby granted an authorization for generation, collection, storage on the premises situated at VPO. Bazida Jattan , Karnal

Details of Authorization

S.No.	Name of process and Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity
1	Hazardous waste treatment processes, e.g. pre-processing , incineration and concentration, Ash from incinerator and flue gas cleaning residue	GEPI (CHWTSDF)	10 T/Annum
2	Hazardous waste treatment processes, e.g. pre-processing , incineration and concentration, Sludge From wet scrubbers	GEPI (CHWTSDF)	1 T/Annum

- The authorization shall be valid for a period of 30/10/2024 to 30/09/2028
- The authorization is subject to the following general and specific conditions :-

Application no. : 79314920

Industry id: 14KAR659459

Date: 30/10/2024

- (i) conditions- 1) Will renew its CTO 90 days before expiry 2) Will timely renew its HWM authorisation 90 days before expiry 3) Will maintain storage site 4) Will immaculately follow the HWM Rules 2016 and as amended thereof 5) Will maintain the HWM Display Board at the entrance 6) Will submit annual returns/report timely to HSPCB 7) Will abide by the Hon'ble NGT directions promulgated in order dated 23/08/2019 in matter of OA No. 1038/2018 (if applicable) 8) Will abide by the new HWM rules and guidelines for entity lying in proximity to the severely polluted cities as per CEPI score (if applicable) 9) Will abide by the Hon'ble NGT directions promulgated in order dated 23/08/2019 in matter of OA No. 1038/2018 (if applicable). 9) Authorisation so granted is without prejudice to the action to be taken in respect of any violation made by PP in past & will be deemed revoked & further action will be taken as per law if any violation observed at any stage. 10) The HSPCB may revoke or suspend the clearance/permission/consent, if implementation of any of the above conditions is not satisfactory. 11) Any appeal against this authorisation shall lie with the Appellate Authority (as constituted by the State Government of Haryana), if preferred, within a period of 30 days as prescribed under Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981. In case of appeals against any decision/directions/orders under the Environment (Protection) Act, 1986, the same shall lie as per the provisions and contents of the Section 16 of the National Green Tribunal Act, 2010. 12) Concealing factual data or submission of false/fabricated data may result in revocation of this authorisation and attract action under the relevant provisions of Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 13) The HSPCB may revoke or suspend the clearance/permission/consent, if implementation of any of the above conditions is not satisfactory. 14) The HSPCB reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.

HARYANA STATE

SHAILENDER ARORA Digitally signed by SHAILENDER ARORA
Date: 2024.10.30 09:52:18 + 05'30'

Regional Officer Karnal
For Haryana State Pollution Control Board

Conditions of Authorization:

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorised change in personnel equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of this authorization.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. An application for the renewal of an authorization shall be made as laid down under these Rules.
8. Any other conditions for compliance as per the guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
9. Annual return shall be filed by June 30 th for the period ensuring 31 st March of the year.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Application no. : 79314920

Industry id: 14KAR659459

Date: 30/10/2024

**Regional Officer Karnal
For Haryana State Pollution Control Board**



Annexure-3

Authorization under BMW Rules with validity upto 30.09.2030

HARYANA STATE POLLUTION CONTROL BOARD

Regional Office Karnal , 2nd floor of SCO No.78-79 above PNB bank, near namstay Chowk, karnal,Haryana. Email:- hspcbrokar@gmail.com



No. HSPCB/BMW/2025-2026

Dated 19/08/2025

Authorization No. BMW25KAR110389334

Application No.
110389334

Date of Submission 28/06/2025



Sub: Renewal of Authorization under Bio Medical Waste Management Rules, 2016.

1. M/s : Haat Supreme Wastech Pvt. Ltd an occupier or operator of the facility located at VPO. Bazida Jattan , Karnal, is hereby granted an authorisation for; Collection,Storage,Reception,Transportation,Treatment or processing or conversion,Disposal or destruction use

2. M/s : Haat Supreme Wastech Pvt. Ltd is hereby authorized for handling of Biomedical Waste as per the capacity given below;

- (i) Number healthcare facilities covered by CBMWTF: 760
- (ii) Installed treatment and disposal capacity: Kg/Day
- (iii) Area or distance covered by CBMWTF: As per BMW Rules
- (iv) Quantity of Biomedical waste handled, treated or disposed:

Category	Type of Waste	Quantity Generated or collected in Kg/day
Yellow	a) Human Anatomical Waste	500
	b) Animal Anatomical Waste	
	c) Soiled Waste	
	d)Expired or Discarded Medicines	
	e)Chemical Solid Waste	
	f) Chemical Liquid Waste	
	g)Discarded linen, mattresses, beddings contaminated with blood or body fluid	
	h) Microbiology, Biotechnology and other clinical laboratory waste	
Red	Contaminated waste (Recyclable)	150
White(Translucent)	Waste sharps including Metals	50
Blue	Glassware	75
	Metallic Body Implants	

3. This authorisation shall be in force for CBMWTF from a period of 01/10/2025 To 30/09/2030 Year from the date of issue.

4. This authorisation is subject to the condition stated below and to such other condition as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

TERMS & CONDITIONS OF AUTHORISATION:-

1. The applicants shall comply with the provisions of Bio-Medical Waste Management Rules 2016 notified vide No.S.O. 630(E) dated 20th July,2016
2. Bio-Medical Waste shall be treated & disposed off in Compliance with the standards prescribed in Schedule 1.
3. Every occupier where required shall setup in accordance with the time schedule-IV, requisite treatment Bio-Medical Waste treatment facilities like incinerator,autoclave,microwave system for the treatment of the waste at a common waste treatment facility or any other waste treatment facility.
4. Bio-Medical Waste shall not be mixed with any other waste.
5. Bio-Medical Waste shall be segregated into containers/bags at appoint of generation with Shedule-II prior to its storage, transportation,treatment & disposal.The containers shall be labeled according to Schedule-II
6. If a container is transported from the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises, the container shall apart from the label prescribed in schedule III, also carry information according to Schedule IV.
7. Notwithstanding anything contains in Motors Vehicle Act, 1995 or rules there under, untreated the Bio-medical Waste shall be transported only in such vehicle as may be authorised for the purpose by the competent authority as specified by the Govt.
8. No untreated Bio-Medical Waste Shall be kept stored beyond a period of 48 hours.
9. Every authorised person shall maintain records related to the generation, collection, reception, storage, transportation, treatment disposal of Bio-Medical Waste in accordance with those rules & any guideline issued.
10. All records shall be subject to inspection & verifications by the prescribed authority at any time.
11. Suitably designed pollution control devices should be installed/retrofitted with the incinerator to acheive the above emission limits, if necessary.
12. Waste to be incinerated shall not be chemically treated with any chlorinated disinfectants.
13. Chlorinated plastics shall not be incinerated.Toxic metals in incineration ash shall be limited with the regulatory quantities as defined under the Hazardous Waste Management Rules, 2016.
14. Only low sulphur fuel like L.D.O/L.S.H.S/Deisel shall be used as fuel in the incinerator.
15. Occupier will comply all direction for generation, collection, reception, storage, transportation, treatment, disposal as per Bio-Medical Waste Management Rules 2016 & will ensure that there is no adverse effect to human & Environment.
16. The occupier will segregate the Bio-Medical Waste at the point of generation in accordance with the special-II of Bio-Medical Waste Management Rules, 2016.
17. The authorization would be subject/having proper disposal system for Bio-Medical Waste.
18. The unit shall maintained a log Book for suggestion/collection of Bio-Medical Waste at the source (i.e.wards) and also for each category of waste i.e.incienaration, autoclaving or landfill etc.
19. The yellow Bags should be non chlorinated bags.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

20. The every occupier will also submit the copy of agreement every year before 30th April from any authorised services provider.

Specific Conditions

General Deficiencies



1. 1) Timely filling of annual BMW returns 2) Timely Biomedical Waste Management Rules, 2016 (BMWM Rules, 2016) authorisation renewal 3) Taking timely CTO from HSPCB 4) PP will abide by all the general and specific conditions/norms/directions of the HSPCB/CPCB/MoEF&CC/ Hon'ble NGTs 5) BMW authorisation so granted is without prejudice to the action to be taken in respect of any violation made by PP in past & authorisation will be deemed revoked & further action will be taken as per law if any violation observed at any stage. 6) Will submit annual returns/report timely to HSPCB 7) Will abide by the Hon'ble NGT directions promulgated in order dated 23/08/2019 in matter of OA No. 1038/2018 (if applicable) 8) Will abide by the new HWM rules and guidelines for PPs lying in proximity to the severely polluted cities as per CEPI score (if applicable) 8) Will abide by the Hon'ble NGT directions promulgated in order dated 23/08/2019 in matter of OA No. 1038/2018 (if applicable). 9) Authorisation so granted is without prejudice to the action to be taken in respect of any violation made by unit in past & will be deemed revoked & further action will be taken as per law if any violation observed at any stage. 10) The HSPCB may revoke or suspend the clearance/permission/consent, if implementation of any of the above conditions is not satisfactory. 11) Any appeal against this authorisation shall lie with the Appellate Authority (as constituted by the State Government of Haryana), if preferred, within a period of 30 days as prescribed under Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981. In case of appeals against any decision/directions/orders under the the Environment (Protection) Act, 1986, the same shall lie as per the provisions and contents of the Section 16 of the National Green Tribunal Act, 2010. 12) .Concealing factual data or submission of false/fabricated data may result in revocation of this authorisation and attract action under the relevant provisions of Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 13) The HSPCB may revoke or suspend the clearance/permission/consent, if implementation of any of the above conditions is not satisfactory. 14).The HSPCB reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions. 15) Shall comply with all the relevant and applicable guidelines of Guidelines for Management of Healthcare Waste as per Biomedical Waste Management Rules, 2016 (as amended thereof) formulated by the Central Pollution Control Board and Directorate General of Health Services Ministry of Health & Family Welfare

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

(https://cpcb.nic.in/uploads/Projects/Bio-Medical-Waste/Guidelines_healthcare_June_2018.pdf) and Guidelines for Common Bio-medical Waste Treatment and Disposal Facilities formulated by the Central Pollution Control Board

KAMALJIT SINGH Digitally signed by KAMALJIT SINGH
Date: 2025.08.19 16:18:44 +05'30'
Regional Officer Karnal
Haryana State Pollution
Control Board.



Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.
Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Annexure-4

ETP Sludge Manifest dated 12.03.2026

HARYANA STATE POLLUTION CONTROL BOARD Regional Office Karnal, 2nd floor of SCO No.78-79 above PNB bank, near namstay Chowk, Karnal, Haryana. Email:- hspcbkarnal@gmail.com (Hazardous Waste Manifest) Form 10 [See rule 19(1)]		Manifest No: 140481805 WHITE	Copy 1
HQ: Haryana State Pollution Control Board, C-11, Sector-4, Panchsala 134109, Ph-0172-2577870-77, Email: Hspcb@hspcb.org.in			
1	Sender's Name, Mailing Address, Phone no & Email Address:	Haat Supreme Wastech Pvt. Ltd VPO, Bajida Jattan, Karnal 9092600126 haatsupremewastech@gmail.com	
2	Authorization Application No.:	79314920	
3	Authorization Letter No and Date:	HWM/KAR/2024/79314920, 2024-10-30	
4	Authorization validity:	From: 2024-10-30 To: 2028-09-30	
5	Transporter's Name, Address & Phone no:	Gujarat enviro Protection and Infrastructure (Haryana) Pvt. Ltd Village Pali, Near Pali-Mohabatabad Stone Crusher Zone, Faridabad	
6	Transport's Registration No:	HR-38-X-9196	
7	Vehicle No. & Type:	9196 Truck	
8	Receiver's Name, Mailing Address, Phone no & email address:	M/s Gujarat Enviro Protection and Infrastructure (Haryana) Pvt. Ltd Village Pali, near Pali- Mohabatabad Stone crusher Zone, Faridabad, Haryana 72900995081 haryana@infrastructure.com	
9	Receiver's Authorization No. with PCB:	HWM/TDHD/2021/13751961, 07-08-2021	
10	Total Quantity:	0.5 MT	
11	Physical Form:	Solid,	
12	Number of Containers:	1	
13	Name of Schedule:	Schedule 1	
	Name of Process/Sub Class/Basel no:	Purification and treatment of exhaust air, water and waste water from the treatment plants (CETP's)	
	Name of Process Waste/Category No:	Chemical sludge from waste water treatment	
	Detail/Reason of Subclass/Basel no:		
	Quantity:	0.5 MT	
	Waste Type:	Pre-Processing	
	Waste Storage:	Others bags	
	Waste Description:	ETP Sludge	
14	Sender's Certificate: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labeled, and are in all respects in proper condition for transport by road according to applicable national government regulations. For Haat Supreme Wastech Private Limited Signature: <i>[Signature]</i> Date: 12-Mar-26		
15	Transporter Acknowledgement of Receipts of Wastes: Stamp of: Gujarat enviro Protection and Infrastructure (Haryana) Pvt. Ltd. Date: 12-Mar-26 Signature: <i>[Signature]</i>		
16	Special handling instructions and additional information	use ppe's	
17	Receiver's Certification for receipt of Hazardous and other waste: Stamp of: M/s Gujarat Enviro Protection and Infrastructure (Haryana) Pvt. Ltd Village Pali, near Pali- Mohabatabad Stone crusher Zone, Faridabad Date: <i>[Date]</i> Signature: <i>[Signature]</i>		

** This is System Generated Manifest for HAZARDOUS AND OTHER WASTE by HROCMMS Haryana **
Created By OCMMIS ID:- 14KAR659459 | Created Date:- 12-Mar-26 | Haat Supreme Wastech Pvt. Ltd, VPO, Bajida Jattan Karnal

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Annexure-5

Bill of supply of water through tanker for the month of October, 2025

SACHDEVA CEMENTS

MAHARANA PARTAP CHOWK, G.T. ROAD, KARNAL-132001

Ref. No. - 1738

Date:- 31/10/2025

Haat Supreme Wastech Pvt. Ltd.
Bazida Jattan,
Karnal,

Invoice of Month of October - 25

Month	Total water use in month	Rate per ltr	Total
October - 25	31300	1.00	31300


Sign.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech
Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida
Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.
Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Annexure-6

Bill of supply of water through tanker for the month of March, 2026

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

SACHDEVA CEMENTS

MAHARANA PARTAP CHOWK, G.T. ROAD, KARNAL-132001

Ref. No. - 2853.....

Date:- 31/03/2026

Haat Supreme Wastech Pvt. Ltd.
Bazida Jattan,
Karnal,

Invoice of Month of March – 26

Month	Total water use in month	Rate per ltr	Total
March - 26	32900	1.00	32900


Sign.

Annexure-7

Calibration Certificate dated 17.02.2026 for Continuous Emission Monitoring System



drexel® electronics & engineering products (p) ltd

Works: 442, JLPL, Industrial Area
 Sector 82, Mohali (PB) 160055
 Ph: +91172 4190098
 Mob: +91 9988610098
 Email: sales@drexel.in
 Web: www.drexel.in

Corp: 13/2, 2nd & 3rd Floor
 Opp. Bus terminal Mehrauli,
 New Delhi 110030
 Toll Free: 1800 123440098
 Mob: +91 9316660098
 info@drexel.in

Calibration Certificate

Sample Code	DXL/2026/12403
Customer Name & Address:	M/s Haat Supreme Wastech Private Limited #V.P.O. Bazida Jatan, Karnal, Haryana-132037
Calibration Date:	17.02.2026
Calibration Due Date:	16.08.2026

PRODUCT DETAIL:

Product Name:	Online Emission Monitoring System	Make & Model:	Drexel & DX4B
Product Sr. No.:	117	Voltage & Frequency:	220V AC/50 Hz

Results:

Sr. No.	Sensor Applicable	Gas Conc.	Current (Range 4 mA – 20 mA)			
			Minimum	Span	Maximum	Remark
1	CO	500 PPM	0 PPM	491 PPM	10,000 PPM	ok
2	CO2	7%	0 PPM	6.1%	11	ok
3	HCL	500 PPM	0 PPM	493 PPM	1000 PPM	ok
4	NOX	500 PPM	0 PPM	495 PPM	1000 PPM	ok
5	SPM	Zero Check			Isokinetic Technique	
Suction Unit:						
1.	Suction Pump	ok	Auto- clean Filter Assembly			ok
2.	Filter Assembly	ok	Purging Cycle			ok

Remarks:	System is completely tested & inspected properly and found OK.
-----------------	--

Israfil

Tested By
 Mr. Israfil
 Field Engineer



Gurpreet Singh

Checked By
 Mr. Gurpreet Singh Field
 Senior Engineer (Technical)



Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Annexure-8

Analysis Report of Trade Effluent dated 07.03.2026



Envirochem Testing & Consultancy LLP

(GOVT. APPROVED LAB)

(An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Lab)

Plot No. 165, 1st Floor, Sector-25, Part-II, HUDA, Panipat-132103, Hr.

M. : +91 90348 91129, 89501 75388

Email : envirochemtestinglab@gmail.com

TEST REPORT

Report No.	ETL/ PNP/WW0702	Report Date	07.03.2026	Doc No.	ETL/QF/7.8/01
Issue to: M/s Haat Supreme Wastech (P) Ltd Bajida Jattan, Karnal		Party's Ref No: Nil Work Order No: WW26030702 Period of Testing: 02.03.2026-07.03.2026			

SAMPLE PARTICULARS

1	Type of sample	: WASTE WATER
2	Point of Sample Collection	: ETP Inlet/Outlet
3	Date of sample collection/ received	: 02.03.2026
4	Purpose of analysis	: Monitoring purpose
5	Sample collected/ supplied by	: By Lab Representative
6	Sample Quantity	: 2 Litre Each
7	Method of Sampling	: As Per IS 3025

TEST RESULTS

Sr. No.	Parameters	Inlet	Outlet	General Std. Limits For Discharge	Protocol used
1.	Colour (Hazen)	209	20	-	IS 3025 (P-4): 2021
2.	Odour	Foul	Mild	-	IS 3025 (P-5) : 2018
3.	pH	6.11	7.41	5.5 to 9.0	IS 3025 (P-11) 2022
4.	COD, mg/L	502	37	250	IS 3025 (P-58) 2023
5.	BOD at 27°C for 3 Days, mg/L	192	8.6	30	IS 3025 (P-44) 2022
6.	Total Suspended Solids, mg/L	204	6	100	IS 3025 (P-17) 2022
7.	Specific Conductance, µmho/cm	9041	1930	-	IS 3025 (P-14) : 2013
8.	Oil & Grease, mg/L	4.8	<4	10	IS 3025 (P-39) 2021

Remarks: 1. Analysed Parameters meet the General Standards Limits for discharge.
2. All Parameters are covered under NABL Scope .

*****End Report*****

[Signature]
Analysed By
Chemist

[Signature]
Reviewed & Verified By
Neha Singh (T.M)



Authorised By
Dr.Rajender Kumar

N 1. Samples shall be disposed off after 15 days issue of test report unless specified.
O 2. Results listed above related to the tested samples, Endorsement of the same is neither inferred nor implemented.
T 3. The test report shall not be reproduced full or in part & can't be used as proof in the court of law.
E 4. The test report should not be used in any advertising agency/media without the written approval of laboratory

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.
Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Annexure-9

Electricity Bill



UTTAR HARYANA BIJLI VITRAN NIGAM LIMITED

(A Government of Haryana Undertaking)
 Regd. Office: Vidyt Sadan, IP-3, Sector-14, Panchkula-134113(HR)
 CIN: U40109HR1999SGC034166 | Website: www.uhbvn.org.in
Electricity Bill



Account No: 4929520000

Generation Date: 12-03-2026 10:00:00

Name: R C VERMA	Account No: 4929520000	Net Payable Amount on or before Due Date (Rs): 13841.00
Address: BAZIDA, KARNAL, Karnal, HR, IND	Old Acct No: 2131205USP021078	Due Date: 24/03/2026
	K No: L12SP021078	Surcharge(Rs): 203.00
Circle: Karnal	Cycle/Group: UAGH/05U	Issue Date: 11/03/2026
Division: City Karnal	Bill Month: MAR/2026	Gross Amount Payable After Due Date(Rs): 14044.00
Sub Division: L12-Model Town, Karnal	Bill No: 492952593701	
	Net Payable Amount in words: Thirteen Thousand Eight Hundred Forty One Rupees Only	

Meter and Read Details (* Latest MCO is shown in case of multiple MCO in one billing cycle)													
Meter No.	Meter Reading Date		Period Days	MDI	Unit	Meter Reading		M.F.	Consumed Units	Billed Units	Bill Basis	Read Rmrk	Mtr Sts
	Old	New				Old	New						
GP7857976	10/02/2026	10/03/2026	28	25.38 (KW)	kVAh	142669.86	144137.18	1	1467.32	1467.32	OK	OK	A
GP7857976	10/02/2026	10/03/2026	28	25.38 (KW)	kWh	98480.39	99436.76	1	956.37	956.37	OK	OK	A

Arrears Outstanding for the Financial Year (Rs)				Slab Calculation			Connection Details	
Description	Previous	Current	Total (Rs)	Unit	Rate	Amount (Rs)		
SOP Charges	0.00	0.00	0.00	1467.32	6.800	9977.78	Tariff Category	LTS
F.S.A.	0.00	0.00	0.00	Total 9977.78			Flats in BS (DS)	0
Surcharge	0.00	249.00	249.00	Applicable Tariff on Read Date:			Supply Voltage(kV)	40
E. Duty	0.00	0.00	0.00				Sanctioned Load (kW/KVA)	19.90/1
M. Tax	0.00	0.00	0.00				MMC(Rs)	0.00
Fixed Charges	0.00	0.00	0.00				Cons. Security (Rs)	49530.01
Excess Credit	0.00	-249.17	-249.17				DOC/DOE	01/11/1966/
Total Arrear	0.00	-0.17	-0.17				Meter Ownership/MDI Meter	Nigam meter/
							Meter Make/Meter Type	Smart Meter Genus /3-PH/CTCT

Details of Charges for Current Cycle		Details of Amount Payable		Last Payment Details				
Description	Amount (Rs)	Description	Amount (Rs)	Amount(Rs)	17303.00			
Fixed Charges	1841.10	Current Cycle Charges	13841.38	Receipt No	492952034818			
Energy Charges	9977.78	Arrears/Outstanding Dues	-0.17	Receipt Date	24/02/2026			
MMC/FC for Reconnection	0.00	Sundry Charges/Allowances	996.68/-0.68	Mode of Payment	Payment via Internet			
Amount to cover MMC	0.00	Provisional Adjustment/BR Adj.	0.00	Previous Consumption Pattern				
FPPAS	449.49	LPS Adjustment	0.00					
TDS/TCS	0.00/0.00	Other Non-Energy Charges	0.00	Bill month	Units (KWH)	Units (KVAH)	MDI	Status
Excess Load Surcharge	1232.00	Net Payable Amount	13841.00	Sep-2025	1716.08	2211.62	17.94	OK
Capacitor Surcharge	0.00	On Or Before Due Date(Rs)		Oct-2025	1886.9	2430.29	18.44	OK
MSC/Green Energy Premium	0.00/	Surcharge(Rs)	203.00	Nov-2025	1357.44	1915.46	16.66	OK
Line Service Charges	0.00	Gross Amount Payable After		Dec-2025	1300.31	1965.93	21.62	OK
Capacitor Service Charges	0.00	Due Date(Rs)	14044.00	Jan-2026	1613.01	2324.23	17.47	OK
Solar Rebate /Prepaid Rebate/Gaushala Rebate	0.00/0.00/0.00	Brief details of Sundry charges /allowances		Feb-2026	1353.25	2045.89	19.34	OK
Govt. Subsidy/Battery Rbt	0.00/0.00	Transfer Adjustment from Over Payment ()		PAN / TAN : /				
Electricity Duty	95.64	Transfer Adjustment from Over Payment ()		Date from which bill other than "OK" is being issued: Reason:				
Municipal Tax / P Tax	245.37	Transfer Adjustment from Over Payment ()						
Total Current Cycle Charges (Rs)	13841.38							

DD to be drawn in favour of SDO L12-Model Town, Karnal , UHBVN , KARNAL

Important Information for consumers:	
Payment of this bill can be made online by logging on the Website: www.uhbvn.org.in at any time and at office counter on all working days during working hours i.e. 09:00AM to 03:00 PM	This Bill be considered as a notice under section 56 of The Electricity Act 2003. Kindly pay the bill by due date. In case of default the connection is liable to be disconnected after 15 days of due date. *This is an interest security amount and interest on this security @6.75 % shall be paid for FY 2023-24. This bill does not confer any rights of ownership on the property where this connection exists T&C shall apply.

Address and Telephone Number(s) of the authorities relating to consumers grievances			
Grievance pertaining to this bill can be lodged with	Address & Telephone number(s) of the		For all type of complaints call at:
SDO 'OP' S/Divn UHBVN - L12-Model Town, Karnal	Consumer Grievance Redressal Forum		1912 or 1800-180-1550 (Toll Free)
	Flat No 519-522, Industrial Area, Phase-II, Power Colony, Near Amartex, Panchkula (Opposite Sector15, Panchkula).	Ombudsman HERC, Sec-4, Bays No. 33-36, Panchkula, Haryana Email ID : ogrf@uhbvn.org.in Contact No. - 0172-2990341, 0172-2990343 WhatsApp No. - 9815961912	1800 180 2124 (Vigilance Toll Free)

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Annexure-10

Analysis Report of Air Emissions (Incinerator) dated 07.03.2026



Envirochem Testing & Consultancy LLP

(GOVT. APPROVED LAB)

(An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Lab)

Plot No. 165, 1st Floor, Sector-25, Part-II, HUDA, Panipat-132103, Hr.

M. : +91 90348 91129, 89501 75388

Email : envirochemtestinglab@gmail.com

TEST REPORT

Report No.	ETL/ PNP/SE0708	Report Date	07.03.2026	Doc No.	ETL/QF/7.8/01
Issue to: M/s Haat Supreme Wastech (P) Ltd Bajida Jattan,Karnal		Party's Ref No: Nil Work Order No: SE26030708 Period of Testing: 02.03.2026-07.03.2026			
SAMPLE PARTICULARS					
1.	Name of the Unit	:	M/s Haat Supreme Wastech (P) Ltd		
2.	Type of Sample	:	Incinerator Stack Emission		
3.	Sampling Point	:	From the Port Hole		
4.	Date of Sampling	:	02.03.2026		
5.	Purpose of Analysis	:	Monitoring		
6.	Sample Collected by / Supplied by	:	By Lab Representative		
7.	Method of sampling	:	IS 11255 (P – 14) 2000		
8.	Instrument ID	:	ETL/INS/83		
9.	Calibration date	:	28.03.2026-27.03.2027		
OBSERVATIONS					
1.	Metering Temperature (°C)	:	28		
2.	Stack Temperature (°C)	:	108		
3.	Velocity (m/sec)	:	6.74		
4.	Source of Emission & capacity	:	Incinerator Stack Emission		
5.	Diameter of Stack	:	0.4 meter		
6.	Height of Stack from Ground Level	:	32 meter		
7.	Type of Fuel Used	:	LSHS		
8.	Duration of sampling	:	45 min		
9.	Emission Control (if any)	:	Wet Scrubber		
10.	Fugitive Emission	:	Nil		
11.	General sensory observation	:	Normal		
12.	Recovery of material	:	Nil		
13.	Volumetric flow rate VFR (Nm ³ /Hr)	:	2292		

TEST RESULTS

Sr. No.	Parameters	Results	Standard Limits CPCB	Protocol Used
1.	*Particulate Matter (PM), mg/Nm ³	43.3	80	IS 11255 (Part 1) 1985
2.	*Sulphur Dioxide (SO ₂), mg/Nm ³	<5.23	50	IS 11255 (Part 2) 1985
3.	*Oxides of Nitrogen (NO _x), mg/Nm ³	37.4	50	IS 11255 (Part 7) 2005
4.	*Oxides of Nitrogen (NO ₂), mg/Nm ³	37.1	50	IS 11255 (Part 7) 2005
5.	Carbon Monoxide (CO), mg/Nm ³	28.9	-	ETL/SOP/No.SE06
6.	Carbon Dioxide (CO ₂), % V/V	5.3	-	IS 13270 1992
7.	Oxygen (O ₂), % V/V	6.9	-	IS 13270 1992
8.	Hydrochloride (HCL), mg/Nm ³	ND	-	ETL/SOP/No.SE13

Remarks: 1. Analysed Parameters meets the Standard Limits CPCB. 2. *Parameters Corrected at 6% O₂

*****End Report*****

Analysed By
Chemist

Reviewed & Verified By
Neha Singh (T.M)

Authorised By
Dr.Rajender Kumar



- N 1. Samples shall be disposed off after 15 days issue of test report unless specified.
O 2. Results listed above related to the tested samples. Endorsement of the same is neither inferred nor implemented.
T 3. The test report shall not be reproduced full or in part & can't be used as proof in the court of law.
E 4. The test report should not be used in any advertising agency/media without the written approval of laboratory

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Annexure-11

Noise Monitoring Report dated 11.03.2026



Envirochem Testing & Consultancy LLP

(Formerly known as Envirochem Testing Lab & Research Centre)

(GOVT. APPROVED LAB)

(An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Lab)

Plot No. 165, 1st Floor, Sector-25, Part-II, HUDA, Panipat-132103, Hr.

M. : +91 90348 91129, 89501 75388

Email : envirochemtestinglab@gmail.com

Web : www.etlrc.com

TEST REPORT

Report No	ETL/PNP/70148	Report Date	11.03.2026	Doc No.	ETL/QF/7.8/01
Issue to: M/s Haat Supreme Wastech Pvt. Ltd. V.P.O. Bazida Kalan , Karnal		Party's Ref No: Nil Work Order No: 44140 Period of Testing: 11.03.2026			
SAMPLE PARTICULARS					
1	Type of sample	:	DG NOISE- (45 KVA)		
2	Date of sample measurement	:	11.03.2026		
3	Purpose of analysis	:	Monitoring purpose		
4	Sample collected/ supplied by	:	By Lab Representative		

OBSERVATIONS

Sr. No.	Point of measurement	I	II	III	IV	V	VI
1.	Acoustic Enclosure (0.5 m away from DG)	72.1	72.4	71.1	70.3	70.1	74.0

TEST RESULTS

Sr. No.	Point of measurement	Noise Level (dB)			Standard Limit (dB)
		Min.	Max.	Average	
1.	Acoustic Enclosure (0.5 m away from DG)	70.3	74.0	72.15	75

Remarks: Analysed Parameters meet the Standards Limits.

*****End Report*****

Verified By
Chemist

Authorized By
Neha Singh

- N 1. Samples shall be disposed off after 15 days issue of test report unless specified.
O 2. Results listed above related to the tested samples, Endorsement of the same is neither inferred nor implemented.
T 3. The test report shall not be reproduced full or in part & can't be used as proof in the court of law.
E 4. The test report should not be used in any advertising agency/media without the written approval of laboratory

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Annexure-11 A

Agreement under Hazardous Waste Management Rules issued by GEPIIL.

भारतीय गैर न्यायिक
एक सौ रुपये **Rs. 100**
रु. 100 **ONE HUNDRED RUPEES**
भारत INDIA
INDIA NON JUDICIAL
हरियाणा HARYANA X 785729

THIS Agreement is made at Faridabad on this 10th day June, 2024.

BY AND BETWEEN

Gujarat Enviro Protection and Infrastructure (Haryana) Pvt. Ltd., a company incorporated and registered under the provisions of the Companies Act, 2013 and having its registered office at 370, S V P Road, Shop 8, Plot 384, Cigarette Bldg. Opp. CBI Prathna Samaj, Nr. Harkishandas Hospital, Mumbai (Maharashtra) (hereinafter referred to as GEPIIL (Haryana) which expression shall unless repugnant to the context or meaning thereof shall mean and include its successors, representatives and permitted assignees etc.) of the FIRST PART

AND

M/s. Haat Supreme Wastech Pvt Ltd. which is a Company / Partnership Firm / Proprietary Concern duly incorporated under the provisions of located at Near Railway Crossing, V.P.O. Bardo, Jattan, Karnal and having its registered office at (hereinafter referred to as The Client which expression shall unless repugnant to the context or meaning thereof shall mean and include its successors, representatives and permitted assignees etc.) of the SECOND PART.

Recitals

WHEREAS Haryana Environmental Management Society (HEMS), a society registered under the Societies Registration Act, 1860 having its registered office at SCO 45, 1st floor, Sector -31, HUDA Market, Gurgaon, Haryana acting as a nodal agency of the Government of Haryana has awarded the work to a Consortium of Members led by Gujarat Enviro Protection & Infrastructure Ltd. (GEPIIL) for development and operation of a Hazardous Waste Management Facility (HWM Facility) at Village Pali, Near Pali-Mohabatabad Stone Crusher Zone, Faridabad, Haryana on the leasehold land as per Lease Agreement executed between HEMS and Municipal Corporation, Faridabad (MCF) on 19th April 2005.

For Gujarat Enviro Protection And Infrastructure (Haryana) Pvt. Ltd.

SIGNED & STAMPED for & on Behalf of GEPIIL (Haryana)
Director/Authorised Signatory

SIGNED & STAMPED for & on behalf of Client

HAAT SUPREME WASTECH PVT. LTD.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.
Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

100/-

Gujarat Enviro Protection and Infrastructure (Haryana) Pvt. Ltd.

22835

23-05-2024



AND WHEREAS the Consortium of Members led by GEPIL have formed a Special Purpose Vehicle ("SPV") called Gujarat Enviro Protection & Infrastructure (Haryana) Pvt. Ltd. (GEPIL (Haryana)) to develop, operate and maintain the said Hazardous Waste Management Facility at Village Pali, Near Pali Mohabatabad Stone Crusher Zone, Faridabad, Haryana through an Agreement executed between HEMS, GEPIL (Haryana) and GEPIL, Surat on 30th June 2005.

AND WHEREAS the Party of the First Part is inter alia engaged in the business activities of development, operations and maintenance of infrastructure projects for hazardous waste management as specified in Hazardous Waste (Management and Handling) Rules, 1989 as amended in 2000, 2003, 2008 and now Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and subsequent amendments (hereinafter referred to as "The Rules") and has been given authorization by Haryana State Pollution Control Board (HSPCB) to set up an Integrated Common Hazardous Waste Treatment, Storage & Disposal Facility (TSDF) at Pali, Near Pali Mohabatabad Stone Crusher Zone, Faridabad, Haryana.

AND WHEREAS the Party of the Second Part is generating hazardous waste and has approached the Party of the First Part for managing and disposing off its Hazardous Waste as per applicable rules since the Party of the First Part has set up the said facility at Pali, Near Pali Mohabatabad Stone Crusher Zone, Faridabad, Haryana.

AND WHEREAS the Party of the First Part has agreed to accept Hazardous Waste generated by the Party of the Second Part for collection, transportation, storage, treatment and disposal on the mutually agreed terms and conditions stated hereunder.

THIS DEED THEREFORE WITNESSES AS FOLLOWS:

1. **DEFINITIONS AND INTERPRETATIONS**

- 1.1 "TIME" shall be stated in Hours and shall mean Indian Standard Time.
- 1.2 "DAY" means a period of twelve (12) consecutive hours beginning at 08.00 hours and ending at 20.00 hours.
- 1.3 "WEEK" means a period of seven (7) consecutive days beginning from a day.
- 1.4 "MONTH" means a period beginning at 08.00 hours on the first day of Calendar Month and ending at 08.00 hours on the first day of succeeding Calendar Month.
- 1.5 "YEAR" means a period of three hundred and sixty five (365) consecutive days or three hundred and sixty six (366) consecutive days when such period includes a twenty ninth (29th) day of February beginning at 08.00 hours from a day.
- 1.6 "FINANCIAL YEAR" means a period of three hundred and sixty five (365) consecutive days or three hundred and sixty six (366) consecutive days when such period includes a twenty ninth (29th) day of February beginning at 08.00 hours from a day. It starts from 1st day of April month of the year and ends on 31st day of March month of next year.
- 1.7 "ACTIVE TERM" means the term during which GEPIL (Haryana) shall receive, transport, store, treat, recycle, recover and dispose of the hazardous waste at the TSDF site as per authorization granted by the HSPCB.

For Gujarat Enviro Protection And Infrastructure (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)
Director/Authorised Signatory



SIGNED for & on behalf of Client

- 1.8 "FORCE MAJEURE" means any event or circumstance or combination of events or circumstances beyond the reasonable control of either party (the "Affected Party") and such event or circumstance cannot by exercise of reasonable diligence be prevented or cause to be prevented; cannot, despite the adoption of reasonable precautions or alternative measures (where sufficient time to adopt such precautions or alternative measures before the occurrence of such event or circumstance is available) be prevented; and which materially and adversely affects such party's performance of its duties and obligations under this Agreement.
- 1.9 The headings of or title to the Clauses in this Agreement shall not be deemed to be a part thereof or be taken into consideration in the interpretation or construction thereof.
- 1.10 Words imparting the singular only also include the plural and vice versa where the context so requires.
- 1.11 "TSDF" means Treatment, Storage & Disposal Facility operated by GEPIL (Haryana) located at Village Pali, Near Pali Mohabatabad Stone Crusher Zone, Faridabad, Haryana
- 1.12 HSPCB means Haryana State Pollution Control Board, CPCB means Central Pollution Control Board and MoEF means Ministry of Environment and Forests.
- 1.13 "Client" means a Company / Partnership Firm / Proprietary Concern / Co-operative Society, AOP etc which generates hazardous wastes as defined in the Hazardous Waste (Management & Handling Rules) 1989 as amended in 2000, 2003, 2008 and now Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and subsequent amendments.

2. PERIOD OF AGREEMENT

- 2.1 The present Agreement shall remain in force for the Active Term or Five years from date of 27th January 2024. Agreement whichever is earlier unless terminated earlier due to any of the reasons mentioned in this Agreement.
- 2.2 GEPIL (Haryana) will issue a Registration Certificate valid for 5 years effective from 27th January 2024. The registration shall need to be renewed including execution of fresh Agreement by the Client at least three months before the expiry of the current Agreement.

3. TERMINATION OF AGREEMENT

- 3.1 Both the Parties hereto agree that the present Agreement shall automatically come to an end in any of the following eventualities:
- On expiry of Authorization granted to the Client and the same having not been renewed by the Client or of the same having not been granted by Haryana State Pollution Control Board (HSPCB).
 - On expiry of HEMS membership and the same having not been renewed by the Client or of the same having not been granted by HEMS.
- 3.2 This AGREEMENT can be terminated by the Client after giving a written Notice of at least 30 days to the other party. The provision relating to minimum charges shall be applicable during the notice period in accordance with Clause 10.2.

SIGNED for & on Behalf of GEPIL (Haryana)
Director/Authorised Signatory

SIGNED for & on behalf of Client

- 3.3 Both the Parties hereto further agree that in case of the present Agreement coming to an end owing to any of the aforesaid eventualities, it will be the sole responsibility of the Client to handle, treat and dispose off its Hazardous Waste in accordance with the relevant provisions of law.

4. **REGISTRATION**

- 4.1 The Client shall pay non refundable charges of ₹ 1000=00 (Rupees One Thousand Only) towards Registration every five years.
- 4.2 The Client shall pay non refundable charges of ₹ 8000=00 (Rupees Eight Thousand Only) towards Finger Printing Analysis of the waste to be conducted by GEPIL (Haryana) for waste characterization in every five years.
- 4.3 After having registered, if the registration is terminated within the validity period of the present Agreement because of any reason stated in this Agreement, then in that event, the registration can be revived on payment of non-refundable re-registration charges of ₹ 500/- (Rupees Five hundred only). Such re-registration shall be valid till the expiry of the last Registration Certificate.
- 4.4 The registration under this Agreement is not transferable in any manner whatsoever.

5. **TREATMENT & DISPOSAL CHARGES**

- 5.1 The Treatment and Disposal charges for various types of hazardous wastes are mentioned in Schedule I to this Agreement. The Treatment & Disposal Charges applicable under this Agreement for different types of wastes generated by the Client are as follows:

Sr. No.	Type of Wastes	Treatment and Disposal Charges (₹ Per MT)	Quantity (In MT)
1	ETP Sludge	22,833/-	1.500
2	Incineration Ash	1,964/-	15.00
3			
4			
5			
6			
7			

(Attach sheets in case of more types of wastes)

- 5.2 GEPIL (Haryana) shall charge the Client towards treatment & disposal on the basis of weighment to be done at the TSDF site. If the Weigh Bridge at the site is not working, it will be weighed at an outside Weigh Bridge approved by GEPIL (Haryana).
- 5.3 The rates specified in Schedule I to this Agreement are based on general characteristics of the specified type of waste. In case any waste of the Client that

For Gujarat Enviro Protection And Infrastructure (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)
Director/Authorised Signatory

SIGNED for & on behalf of GEPIL



either does not fall under the mentioned categories or requires special type of treatment before or after disposal, the Client agrees to pay the rates for the same which shall be fixed on case to case basis depending upon the characteristics of the waste & treatment required in consultation with HEMS.

6. TRANSPORTATION CHARGES

- 6.1 The Client has requested GEPIL (Haryana) to provide NIL numbers of storage containers of NA capacity each to avoid frequent transportation. GEPIL (Haryana) has agreed to provide the said containers in consideration of which the client has agreed to pay ₹. NA (Rupees NA) as interest free security deposit to GEPIL (Haryana). The Client shall be responsible for the security and upkeep of as well as any damage caused to the container while it is lying at the premises of the Client.
- 6.2 M/s. GEPIL (Haryana) shall provide the fleet of waste transport vehicles of different capacities duly authorized by HSPCB. As per the requirements of the Client, lowest capacity vehicle for transporting its Hazardous Waste on full vehicle load or More than the vehicle capacity, basis to the TSDF Site shall be sent by GEPIL (Haryana) at the cost of the Client.
- 6.3 The Transportation Charges for transportation of waste from location of Client to the TSDF site are mentioned in Schedule II to this Agreement.
- 6.4 The Transportation Charges applicable under this Agreement at the current rates, excluding taxes, are ₹. (AS PER SCHEDULE -2) per km per MT Taxes, as applicable, are payable extra.


7. REVISION OF CHARGES

- 7.1 The Client covenants that various notified charges like Treatment & Disposal Charges, Transportation Charges etc and any other unforeseen charges under this Agreement for its Hazardous Waste shall be subject to revision and inclusion during the currency of this Agreement in consultation with HEMS, as and when such revision is called for due to any reason whatsoever. GEPIL (Haryana) shall inform the Client about such revisions in advance through a separate letter.
- 7.2 All Government, municipal, panchayat taxes, duties, levies, octroi, tolls, service tax etc., as applicable from time to time, related to transportation, treatment, storage, disposal and other services rendered under this Agreement shall be borne by the Client. In case the same are paid by GEPIL (Haryana), the Client shall reimburse the amount thereof to GEPIL (Haryana).
- 7.3 Service Tax or any other existing taxes as applicable presently on services related to disposal of hazardous waste have to be paid by the client.
- 7.4 All disposal charges are subject to annual upward revision effective From 1st April Every year at the rate of 4%.

8. OBLIGATIONS OF THE CLIENT

- 8.1 While entering into the present Agreement with GEPIL (Haryana), the Client shall submit the categories of Hazardous Waste along with the quantity and its desire to dispose off the same by GEPIL (Haryana). The said categories of Hazardous Waste shall be as per the parameters specified in the Schedules of Hazardous Waste (Management, Handling & Transboundary Movement) Rules 2016, as amended from time to time.

For Gujarat Eco-Infra Development and Infrastructure (India) Pvt. Ltd.


SIGNED for & on Behalf of GEPIL (Haryana)


SIGNED for & on behalf of Client

- 8.2 The Client shall get the Authorization from HSPCB permitting the Client to send its Hazardous Waste to the TSDF Site for treatment and disposal and that it shall be the responsibility of the Client to get the same renewed from time to time, failing which GEPIL (Haryana) reserves its right to repudiate the present Agreement under intimation to HSPCB and HEMS.
- 8.3 The Client shall make all the proper, necessary and adequate arrangement for keeping production records and the Hazardous Waste generated from these processes. The Client shall provide relevant and correct information with respect to process, waste quantity and characteristics (physical & chemical), nature and toxicity of waste as and when asked for by GEPIL (Haryana). This information may be forwarded to HSPCB / CPCB / MoEF/ any other Statutory Authority, if asked for.
- 8.4 The Client shall be required to maintain the record of Hazardous Wastes generated, stored and sent for treatment and disposal to GEPIL (Haryana). The records so maintained shall be subject to cross check and physical verification by authorized representative of GEPIL (Haryana) through visit to Client's premises.
- 8.5 GEPIL (Haryana) reserves right to reject collection of the hazardous waste spilled over the ground and containers whose exteriors are soiled by spillages. The Client shall locate the storage facility in such a way so that the same shall be accessible to the waste transport vehicles of GEPIL (Haryana).

8.6 **Dispatch and Detention of Transport Vehicle**

- i. The Client is required to intimate GEPIL (Haryana) when it has minimum one vehicle load of waste to be lifted, through letter / Fax / Email to send waste transport vehicle at least five days in advance from the date of collection.
 - ii. On arrival of the same at the Client's site, the Client shall be responsible for loading its Hazardous Waste into the said waste transport vehicle within three hours of arrival at the Client's site counting from the time of reporting at the security gate of the Client.
 - iii. If the detention of the said waste transport vehicle at the Client's site exceeds the time limits stipulated in Schedule II to this Agreement, there shall be levied detention charges at the rates as mentioned in Schedule II to this Agreement. The Client may detain the vehicle for a maximum of six hours including time stipulated for loading.
 - iv. In case, for any reason, including detention for more than six hours, the vehicle is sent back to GEPIL (Haryana) without giving the waste even after having been requisitioned by the Client, the Client shall pay the transportation charges for the full capacity load of the vehicle.
- 8.7 Before the Hazardous Waste is loaded into the waste transport vehicle and dispatched to TSDF site, the Client shall ensure that the said waste is packed in a manner suitable for transportation and that the said packed waste withstands physical and climatic conditions and does not result in any kind of leakage, spillage and accident etc causing adverse impact on health and environment.

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

Director/Authorized Signatory
SIGNED for & on Behalf of GEPIL (Haryana)

SIGNED for & on Behalf of Client

- 8.8 If and when an accident occurs while loading Hazardous Waste at the Client's site, the Client shall immediately report the same to HSPCB and other authorities as per the Rules and also to GEPIL (Haryana).

8.9 Rejection of Waste

- i. The Client agrees to maintain waste characteristics close to Finger Print Analysis Report of the waste (attached as Schedule III to this Agreement). In case of variation of over 5% in waste characteristics mentioned in the said Schedule, the Client covenants to pay the revised treatment and disposal charges determined for its specific waste type and characteristics failing which the Client shall accept the hazardous waste back at its own cost in accordance with Clause 8.9 (ii) and 8.9 (iii).
- ii. The Client shall be required to accept Hazardous Waste back and bear the cost of return transportation of full vehicle load, if the same is rejected by GEPIL (Haryana) due to any of the following reasons:
 - a) The variation in waste characteristics is beyond 5%.
 - b) The wastes contain unacceptable wastes types as listed under Clause 9.2.
- iii. If the Client fails to do so within 2 days of reporting the matter, its registration will be terminated with intimation to HEMS. In the event of waste rejection, the Client shall be totally responsible and liable for any consequence arising thereof and GEPIL (Haryana) reserves all rights to take any suitable actions under the law.

- 8.10 During wet period of monsoon season, Hazardous Waste may not be accepted at the TSDF Site. During this period Client is required to make a provision to store its Hazardous Waste for a minimum period of four months, as per the requirement of HSPCB.

- 8.11 GEPIL (Haryana) may request the Client, under intimation to HEMS, to provide any additional information, as may be required, for treatment and disposal of waste or as asked for by HSPCB / CPCB / MOEF / any other Statutory Authority. The Client shall send the said information to GEPIL (Haryana) at least two days before the scheduled time, if specified by the information seeking authority else within two weeks time.

- 8.12 The Client shall comply with the provisions of Environment (Protection) Act, 1986 and the Rules as amended from time to time as also with the conditions of the present Agreement and that any breach committed thereof shall render the Client not eligible for disposing of its Hazardous Waste in TSDF site.

- 8.13 The Client shall not claim any right, interest or privilege in or in relation / connection with Hazardous Waste accepted at the TSDF site.

- 8.14 In case of any change in constitution of firm or company or proprietary concern, company name, products or quality and/or production rate of products or waste quantity or characteristics, the Client shall intimate GEPIL (Haryana) by written notification by registered letter / speed post / courier prior to proposed date of change and get its waste Finger Printing Analysis done again, where ever required, in accordance with Clause 4.2.

For GEPIL (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)
Director/Authorised Signatory

SIGNED for & on behalf of Client

9. QUALITY

- 9.1 The Client hereby covenants to ensure that its Hazardous Waste shall, under all circumstances, conform to the norms specified by HSPCB and as prescribed under the provisions of law for the time being in force.
- 9.2 The Client agrees not to send the following type of wastes which could be detrimental to the environment, safety of the facility and to the persons handling it in any manner:-
- Wastes containing explosive substances (An explosive substance is a solid or liquid substance (or mixture of substances) which is, in itself, capable by chemical reaction of producing gas at such a temperature and pressure and at such a speed as to cause damage to the surroundings.)
 - Waste which has an obnoxious odour.
 - Waste which is flammable (Flash point below 65°C)
 - Waste which contains shock sensitive substances (Shock sensitive refers to the susceptibility of a chemical or substance to rapidly decompose or explode when struck, vibrated or otherwise agitated.).
 - Waste which contains volatile substance of significant toxicity.
 - Wastes containing Radio active substances

10. QUANTITY

- 10.1 Subject to the conditions mentioned under Clause 3.2, the Client agrees to send on firm basis to GEPIL (Haryana), its own Hazardous Waste subject to maximum of ----- MT per day and 16.500 MT per annum, which will be called the Contracted Quantity.
- 10.2 If the Client wants to send the requisite Hazardous Waste less than 90% of the aforesaid Contracted Quantity, then in that event, the Client can request GEPIL (Haryana), along with necessary justifications, for change in its Contracted Quantity twice in a year by providing at-least three months notice. The client shall still be liable to pay to GEPIL (Haryana) for the Minimum Quantity i.e. 90% of the Contracted Quantity till the expiry of three months notice period. The receipt of waste shall be monitored by GEPIL (Haryana) on quarterly basis and charges for deficit, if any shall be billed accordingly. In case of Force Majeure conditions at the Client's premises leading to reduction in annual waste generation, the liability to pay for minimum quantity shall be waived for the period of Force Majeure.
- 10.3 If the Client exceeds the annual Contracted Quantity of Hazardous Waste for disposal, then in that event Client covenants to increase the security deposit accordingly as per Clause No. 11.1.

11. BILLING AND PAYMENT OF CHARGES

- 11.1 The Client shall effect arrangement to make the payment of interest free Security Deposit of ₹32,000/- (Rupees Thirty two thousand)

For Gujarat Enviro Protection And Infrastructure (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)
Director/Authorised Signatory

SIGNED for & on Behalf of Client



8

- Only) equivalent to Treatment & Disposal Charges of its Hazardous Waste for two months of Contracted Quantity that shall always be maintained at a value twice or more than the Transportation, Treatment & Disposal Charges for one vehicle load waste. The said amount of interest free Security Deposit will be refunded only on the termination of this Agreement after adjusting other / pending claims of GEPIL (Haryana) against the Client, if any.
- 11.2 In case of insufficient balance (Security Deposit) in the Client's account, GEPIL (Haryana) shall not send the waste collection vehicle.
- 11.3 GEPIL (Haryana) shall raise the bill against each waste disposal consignment (towards Transportation, Treatment & Disposal Charges) within three days of receipt of the waste at the TSDF Site. The client shall pay the bill within 30 days from the date of issue of bill.
- 11.4 The Client shall, upon receipt of the bill from GEPIL (Haryana), make full payment on or before the due date mentioned in the bill. In case of delayed payment by the Client, interest at the rate of 15% per annum shall be charged by GEPIL (Haryana) on delayed payments. .
- 11.5 In case of default / dishonor in payment, GEPIL (Haryana) shall give seven days notice to Client, with information to HEMS, for settlement of outstanding dues by effecting the payment through DD/pay order along with interest else the Registration of Client shall be cancelled.
- 11.6 In the event of cancellation of Registration due to reasons mentioned under Clause 11.5, the client can re-register upon payment of balance dues along with interest through DD / Pay order apart from non-refundable re-registration charges in accordance with Clause 4.3.

12. DEFAULT

- 12.1 If the Client fails and /or defaults in the discharge of any of his obligation under the present Agreement, the GEPIL (Haryana) after serving seven days notice shall have discretion to (i) cancel the Client's Registration & refuse to accept Hazardous Waste of the Client for disposal, and (ii) notify to HEMS and HSPCB the name of the Client informing about such default.
- 12.2 In the event of Client committing any breach/violation of any condition of the present Agreement or any provision of Law / Act / Rules for the time being in force, GEPIL (Haryana) reserves its right to suspend / cancel the registration for such period as it deems fit with information to HEMS.
- 12.3 Where an offence under the Environment (Protection) Act 1986 or under the Rules framed thereunder, has been committed by the Client or is attributed to any negligence on the part of the Client which shall include its Director, Partner, Proprietor, Manager, Secretary, Officer etc. and if such Client is guilty of the offence or is liable to be prosecuted against and punished accordingly, no suit, prosecution or legal proceeding (s) shall lie against GEPIL (Haryana) for the offence committed by the Client .
- 12.4 GEPIL (Haryana) reserves its right to issue a show cause notice to the Client, with information to HEMS, if it is of the opinion that the Client has contravened the provisions of the present Agreement, requesting the Client to remedy the

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)
Director/Authorised Signatory



SIGNED for & on behalf of Client

contravention within 15 days time. The said notice served shall specify the measures to be taken by the Client in remedying the said contravention.

13. INDEMNITIES

- 13.1 The Client shall be deemed to be in exclusive possession and control of the said Hazardous Waste and shall be fully liable and responsible for its arrangement, appurtenances and properties before completely loaded waste transport vehicle of GEPIL (Haryana) leaves the Client's premises.
- 13.2 Accordingly the Client hereby covenants and agrees to fully protect, indemnify and hold GEPIL (Haryana), its employees, agents and successors and assignees harmless against any and all claims, demands, action, suits, proceedings and judgment and any and all liabilities, costs, expenses, damages or losses arising out of or resulting from or incidental to or in connection therewith, which may be made out against successors and assignees or by third parties on account of damages or injury to property or persons or loss of life resulting from or arising out of the installation, presence, maintenance or operation or the intake arrangements, appurtenances and properties of the Client.
- 13.3 It is also agreed by and between the Parties hereto that GEPIL (Haryana) is not and shall not be liable in any manner whatsoever due to any negligence and for any reason or otherwise of the Client, in disposing its Hazardous Waste at the factory site of the Client or at any other place.
- 13.4 Accordingly the GEPIL (Haryana) hereby covenants and agrees to fully protect, indemnify and hold Client, its employees, agents and successors and assignees harmless against any and all claims, demands, action, suits, proceedings and judgment and any and all liabilities, costs, expenses, damages or losses arising out of or resulting from or incidental to or in connection therewith, which may be made out against successors and assignees or by third parties on account of damages or injury to property or persons or loss of life resulting from or arising out of the breach of any terms and condition/ obligation of GEPIL (Haryana), as envisaged in this agreement.

14. FORCE MAJEURE

- 14.1 In case of any Force Majeure event at the site of the Client, GEPIL (Haryana) shall not be saddled with any liability contingent or otherwise but in that case, it shall be the sole liability of the Client.
- 14.2 In case of any environmental risk arising during the performance of this Agreement at the TSDF site either due to Force Majeure event or due to circumstances beyond the reasonable control of the parties hereto, neither of the parties shall be liable for the consequences arising there from.
- 14.3 Both the parties hereto agree that due to change in any laws related to waste disposal mechanism / criteria or due to any directive of any Court or Authority, if GEPIL (Haryana) is to incur any additional financial burden consequent upon any alteration and / or modification in respect of land-filled waste, then, in that case the Client shall be liable to contribute for the same in proportion to its disposal of Hazardous Waste quantity in TSDF site. The actual burden shall be determined in consultation with HEMS.

SIGNED for & on Behalf of GEPIL (Haryana)
Director/Authorised Signatory

SIGNED for & on behalf of Client

- 14.4 Both the parties hereto agree that in any event of there being order in form of any injunction, stay or otherwise from any Court, HSPCB or any other Authority stopping the functioning of the Site or otherwise whereby GEPIL (Haryana) becomes unable to accept Hazardous Waste of the Client, GEPIL (Haryana) shall not be responsible or made responsible and / or be liable in any manner in that regard and that in such an eventuality, it shall be the responsibility of the Client to get the needful done in respect of disposal of its Hazardous Waste.

15. **PREVIOUS CORRESPONDANCE**

- 15.1 Save and except all discussions and meetings held and correspondence exchanged between GEPIL (Haryana) and the Client in respect of this Agreement and any decisions arrived at therein in the past and before coming into force of the present Agreement, no reference of such discussions with the Client for interpreting the present Agreement or otherwise shall be made. Whereas, Waste Data Sheet and Application Form, will be treated as part of this Agreement.

16. **ARBITRATION**

- 16.1 In case of any dispute or difference of opinion that may arise out of the present Agreement, the matter shall be settled by the parties by mutual negotiations to be concluded within 45 days from the date of intimation of existence of dispute or difference of opinion, as the case may be, by one party to the other party, failing which, the matter shall be settled through arbitration. Both the parties shall appoint an arbitrator each, and the two arbitrators so appointed, shall appoint the third arbitrator. The third arbitrator shall be the presiding arbitrator of the panel. The arbitration shall be as per the Arbitration & Conciliation Act, 1996. The venue of arbitration shall be Faridabad. The arbitration proceedings shall be recorded in English and the arbitration award shall be final and binding on both the parties.

17. **LAWS GOVERNING THE AGREEMENT**

- 17.1 The present Agreement shall be subject to Indian Laws, rules and regulations and notifications etc. issued under such laws.

18. **AMENDMENTS:**

- 18.1 GEPIL (Haryana) may, if required at any point of time make suitable change in the present Agreement in consultation with HEMS after serving a notice to the said Client.

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)
Director/Authorized Signatory



SIGNED for & on Behalf of Client

19. **JURISDICTION**

19.1 Subject to the provisions of Clause 17 of this Agreement, the parties hereto mutually agree that the Civil Courts at Faridabad only shall have jurisdiction for all the disputes/differences arising out of this Agreement.

20. The Company (including its affiliate/ associate / group companies) shall have exclusive rights to avail direct/indirect concession and reliefs as may be accruing on account of this agreement under any prevailing environmental laws/rules/regulations or as may be notified from time to time."

21. The addresses of the parties hereto, unless changed by written notification to be given at least 15 days in advance by registered letter prior to proposed date of change, shall be as follows:

- 1) M/s. Gujarat Enviro Protection & Infrastructure (Haryana) Pvt. Ltd.
Reg. 370, S V P Road, Shop 8, Plot 384, Cigaretwala
Bldg. Opp. CBI Prathna Samaj, Nr. Harkishandas
Hospital, Mumbai (Maharashtra)
- 2)

IN WITNESS WHEREOF the parties hereto acting through their properly constituted representatives have set their hands to cause this Agreement signed and executed in their respective names and on their behalf.

For and on behalf of
GEPIL (Haryana) Pvt. Ltd.

Name : Mr. Ashwani Kumar
Designation : (Site Head)
Address : Gepil(Hr)

Witness

1. Name : Love Gautam.
Designation : Manager.
Address : GEPIL(HR)

2. Name :
Designation :
Address : For Gujarat Enviro Protection and
Infrastructure (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)
Director/Authorized Signatory

For and on Behalf of Client
(Sign And Stamp)

Name :
Designation :
Address :

Witness:

1. Name :
Designation :
Address :

2. Name :
Designation :
Address :

SIGNED for & on behalf of Client

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026



Schedule - I

Rates for Landfill, Solidification & Stabilisation and Incineration (Effective From 01/04/2024)				
	Up to 400 M T	401 To 700 M T	701 To 1200 M T	Above 1200 M T
a. Fixed Landfill Charges (Rs. Per M T)	1964	1941	1918	1904
b. Solidification & Stabilisation Charges (Rs per M T)				
Waste : Additives				
1:0.10	2820	2592	2569	2539
1:0.20	3687	3615	3577	3539
1:0.30	4368	4285	4242	4198
1:0.40	4878	4783	4731	4685
1:0.50	5389	5285	5234	5174
1:0.60	6055	5937	5878	5813
1:0.70	6720	6579	6515	6447
1:0.80	7312	7167	7091	7019
1:0.90	7840	7685	7601	7529
1:1.00	8363	8194	8112	8025
c. Variable Incineration Charges (Rs. Per M T) - for a category of waste of a particular calorific value (in KCal/Kg) as per the ranges given below :				
Calorific value				
Upto 2500 KCal/kg	22833	22151	21925	21465
Greater than 2500 & up to 4500KCal/kg	18763	18199	18017	17638
Greater than 4500 KCal/kg	15707	15226	15069	14766

Notes:-

- The above rates are valid up to 31.03.2025. Thereafter the rates shall attract escalation @ 4% on annual basis.
- The above rates are for the specified type of waste. In case any waste that may require special treatment prior to its disposal, the rates for such waste shall be fixed on case to case basis depending on the characteristics of waste & treatment required in consultation with HEMS.
- The rates for solidification and stabilization are for the waste that requires additives up to 1:1.0 ratios. If the waste requires additives more than 1:1, the rates shall be charged depending on the quantity of additives required to be added & its bulking factor to be decided in consultation with HEMS.
- The rates of Solidification & Stabilization as well as rates for incineration include landfill charges. No extra charges will be levied for residue disposal landfill. we will charge 5% CRF charges on total invoicing as per hems guideline in case of secured landfill and Solidification & Stabilization.
- The above rates are exclusive of any statutory levies which will be payable extra.
- Process for printing of TMO @ Rs. 10/- for each.
- Further, the charges in respect of preprocessing process where ever applicable, remains unchanged and are as under:
 - Charges for de-watering/ drying @ Rs. 1000/- MT on Hazardous waste having moisture content more than 40%.
 - Charges for neutralization @ Rs. 1000/- MT on Hazardous waste having pH between 4 and 2 and greater than 12.
 - We will also be charging neutralization @ Rs. 2000/- MT on Hazardous waste having pH lesser than 2.

SIGNED for & on Behalf of GEPIL (Haryana)
For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

Director/Authorised Signatory

SIGNED for & on Behalf of Client



Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026



Schedule- II Transportation Charges (Rs. per Km per MT)

Revised Rates effective from 01-04-2024 (Fuel Price: 88.12 per liter)

One Way Distance	1 MT			3 MT			7 MT			9 MT			12 MT			16 MT & Above		
	Fuel cost	Other cost	Total cost	Fuel cost	Other cost	Total cost	Fuel cost	Other cost	Total cost	Fuel cost	Other cost	Total cost	Fuel cost	Other cost	Total cost	Fuel cost	Other cost	Total cost
Up to 75 KM	8.82	23.25	32.06	5.95	7.89	13.84	4.57	2.79	7.36	4.62	2.85	7.48	4.42	2.69	7.11	4.46	2.59	7.05
75 to 200 KM	8.83	16.54	25.37	5.13	5.88	11.01	4.00	1.99	5.99	4.05	2.05	6.10	3.87	1.87	5.75	3.92	1.78	5.71
>200 KM	8.83	15.60	24.43	5.13	5.14	10.27	4.00	1.64	5.64	4.05	1.70	5.75	3.87	1.62	5.49	3.92	1.51	5.44

Note:

- The above revised rates are based on current (revised) Diesel price of Rs. 88.12 per liter. The 'Fuel Cost' component of the rates shall be adjusted based on the rates of Diesel at Faridabad (Haryana) on quarterly basis i.e. 1st of April, July, Oct. & Jan. of each year.
- The 'Other Cost' component of rates is firm up to 31.03.2025 and shall be subject to 3% escalation on annual basis thereafter.
- The rates indicated above are for actual Distance of the Generator's unit from the TSDF site. The chargeable distance will be double the actual one way distance from TSDF site to the Generator's unit i.e. to & fro for full truck load. Minimum charges payable will be Truck Capacity in MT *Rate per km/MT*To & from distance of Generator's unit from TSDF Site. The Rates are Inclusive Toll Tax.
- The transportation rates are excluding loading, packing material, and any other statutory levies.
- The maximum loading time and detention charges beyond the free loading time for different capacity vehicles are as given below:

Sr. No	Vehicle Capacity	Free Loading Time	Detention Charges/hr
(i)	1 MT	2 hrs	300/-
(ii)	3 MT	2 hrs	300/-
(iii)	7 MT	3 hrs	360/-
(iv)	9 MT	3 hrs	360/-
(v)	12 MT	4 hrs	400/-
(vi)	16 MT	4 hrs	400/-

For Gujarat Environmental Protection And Infrastructure Development Pvt. Ltd.
SIGNED for & on Behalf of GEPIL (Haryana)

Director/Authorised Signatory

SIGNED for & on Behalf of Client



Health Reports



श्री महावीराय नमः
श्री दिगम्बर जैन धर्मार्थ औषधालय
(श्री दिगम्बर जैन सोसाइटी (रजि.) द्वारा संचालित)

मिठ्ठन मौहल्ला, करनाल
एलोपैथिक, आर्युवैदिक एवं होम्योपैथिक

दिनांक 26/2/26

नाम

Ashwani

आयु/लिंग

24yr.

O.P.D. SLIP

Dr. T.T.

Dr. M. S. Rast.

26/2/26

Not Valid for Medicolegal Purpose

Dr. Ashwani Rana
B.A.M.S. (M.D.U. Rohtak)
Ex. Medical Officer
Sh. B.L. Bhardwaj Charitable Hospital
Ex. Medical Officer : S.B.S. Sr. Sec. School, Karnal
Mob. 9996407016

प्रातः 9 बजे से दोपहर 1 बजे तक
रविवार अवकाश



श्री महावीराय नमः
श्री दिगम्बर जैन धर्मार्थ औषधालय
(श्री दिगम्बर जैन सोसाईटी (रजि.) द्वारा संचालित)

मिट्टन मौहल्ला, करनाल
एलोपैथिक, आर्युवैदिक एवं होम्योपैथिक

दिनांक 26/2/26

नाम Sunny आयु/लिंग 33ym.

O.P.D. SLIP

J. T.T.

Jm Stat.

26/2/26

Not Valid for Medicolegal Purpose

Dr. Ashwani Rana
B.A.M.S. (M.D.U. Rohtak)
Ex. Medical Officer
Sh. B.L. Bhardwaj Charitable Hospital
Ex. Medical Officer : S.B.S. Sr. Sec. School, Karnal
Mob. 9996407016

प्रातः 9 बजे से दोपहर 1 बजे तक
रविवार अवकाश



श्री महावीराय नमः
श्री दिगम्बर जैन धर्मार्थ औषधालय
(श्री दिगम्बर जैन सोसाईटी (रजि.) द्वारा संचालित)
मिठ्ठन मौहल्ला, करनाल
एलोपैथिक, आर्युवैदिक एवं होम्योपैथिक

नाम

Smil Kumar

दिनांक

26/2/26

आयु/लिंग

27y.m.

O.P.D. SLIP

Dr. T.T.

Dr. S.S.

26/2/26

Not Valid for Medicolegal Purpose

Dr. Ashwani Rana
B.A.M.S. (M.D.U. Rohtak)
Ex. Medical Officer
Sh. B.L. Bhardwaj Charitable Hospital
Ex. Medical Officer : S.B.S. Sr. Sec. School, Karnal
Mob. 9996407016

प्रातः 9 बजे से दोपहर 1 बजे तक
रविवार अवकाश



श्री महावीराय नमः
श्री दिगम्बर जैन धर्मार्थ औषधालय
(श्री दिगम्बर जैन सोसाइटी (रजि.) द्वारा संचालित)

मिट्टन मौहल्ला, करनाल
एलोपैथिक, आर्युवैदिक एवं होम्योपैथिक

दिनांक 26/2/26

नाम Parvin Kaur

आयु/लिंग 33y m.

O.P.D. SLIP

J. T.T.

J/m sheet.

26/2/26

Not Valid for Medicolegal Purpose

Dr. Ashwani Rana
B.A.M.S. (M.D.U. Rohtak)
Ex. Medical Officer
Sh. B.L. Bhardwaj Charitable Hospital
Ex. Medical Officer : S.B.S. Sr. Sec. School, Karnal
Mob. 9996407016

प्रातः 9 बजे से दोपहर 1 बजे तक
रविवार अवकाश

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Annexure-13

Six Monthly expenditure incurred on various activities in compliance of implementation of Environment Management Plan for the period 01.10.2025 to 31.03.2026

S. No.	Pollution control system	Cost incurred (in ₹) 01.10.2025 to 31.03.2026
1	Air pollution control (Stack for Incineration and DG set, Scrubber)	382400
2	Water pollution (Effluent Treatment Plant)	45500
3	Environment lab and monitoring	35500
4	Occupational Health (PPE)	9500
5	Green Belt	8000
Total		480900

Environmental Policy

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.
Environmental Policy 2025

Environmental Policy-2025

I. Purpose:

As one of the Common Bio Medical Waste Treatment & Disposal Facility (CBWTF) in the State of Haryana, HSWL recognizes that protecting the environment is essential for sustainable business.

In the context of Environment Policy, the definition of environment covers all the domains of environment- Physical, Chemical, Biological and Socio- economic aspect.

HSWL hereby adopts Environment Policy (2025).

The intent of this policy is to meet environmental expectations and provide actionable guidance, as HSWL strives to foster a culture of excellence and challenges itself for continual improvement.

This document contains:

- I. Purpose***
- II. Policy Statement***
- III. Applicability***
- IV. Principles***
- V. Institutional Framework***
- VI. Policy***
 - ***Stewardship***
 - ***Compliance & Assurance***
 - ***Stakeholder Engagement***
 - ***Capacity Building***
- VII. Review***

II. Policy Statement:

"To provide cleaner environment in working areas by committing to highest possible levels of performance in environmental compliance, practices and stewardship."

III. Applicability:

This policy shall apply to HSWL and each employee shall be made a partner in implementing the policy.

IV. Principles:

This policy is based on the following principles:

1. Consideration of Environmental factors right from the stage of planning, design and operation of projects to ensure that principles of conservation and sustainability are adhered to.
2. Impact of HSWL business on environment can be minimized by adopting best environment management practices and state-of-the-art technology.
3. HSWL commitment as a responsible corporate citizen is demonstrated by achieving and setting benchmarks beyond statutory compliances.
4. Accepting accountability for all operations and expeditiously respond to any aberration.
5. Continuous monitoring and sharing of environmental indicators with stakeholders ensures HSWL's commitment towards continual improvement in environmental performance.
6. Develop each employee as environmental steward by improving his awareness levels while soliciting his commitment.

V. Institutional Framework:

Three tier structure for environmental systems implementation:


1. Corporate Level: Functions- Engineering, planning and monitoring.
2. District Level: Functions–Facilitators to stations & Coordination between Stations & Corporate
3. District Level Stations: Functions-Execution and reporting.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Environmental Policy 2025



VI. Policy:

HSWL shall achieve these objectives by:

1. Stewardship:

HSWL shall:

- a. Adopt a pro-active approach, place environmental aspects as one of the prime consideration in decision-making process.
- b. Identify and manage environmental impacts due to business activities, by adopting latest environment management technologies and practices.
- c. Act to manage risks, as identified by Risk Management Committee (RMC) comprising of Partners and Supervisor/Manager, in the form of capacity building and infrastructure strengthening.
- d. Evaluate performance of environment protection equipment, program and practices, with respect to legal provisions and prepare action plans for concerned functional groups.
- e. Ensure efficient and optimal use of resources such as land, water, fuel, construction materials, oils, chemicals etc, especially the non-renewable.
- f. Spearhead waste management by reducing, re-using, recycling, recovering and safe disposal.
- g. Adopt more environment friendly and energy-efficient inputs.
- h. Provide innovative technological solutions to environment related issues.
- i. Benchmark parameters to establish and adopt best practices.
- j. Take up environmentally befitting projects in areas of climate

change, renewable energy, conservation and responsible consumption of natural resources under Sustainable Development initiatives.

- k. To formulate and adopt separate Policies for Ash, Rehabilitation & Resettlement, Community Development – Corporate Social Responsibility and Sustainable Development.

2. Compliance and Assurance:

- a. HSWL shall continue to comply with all relevant environmental regulations, standards and other codes of practice, by operating and maintaining the assets within bounds of permits, consents, and licenses.
- b. Risk Management Committee shall establish system for reporting environment related parameters, deviations and constraints to management. Environmental risks perceived shall be reviewed through risk management mechanism for appropriate action.
- c. Concerned group of workers and field staff shall oversee compliance assurance of operating facility and transportation through reviews and appraisals.

3. Stake holder Engagement:

HSWL shall continue to identify all stakeholders and engage with them at appropriate levels, to exchange views on environmental concerns and mitigation measures thereof.

4. Capacity Building:

- a. NTPC shall ensure all employees are made environmentally aware, to enable them to integrate its principles into their activities and decisions.
- b. Environment Management Group shall come up with focused requirements (including skill training and culture building), clearly bringing out the desired objectives, audience and responsibility.

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.
Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.
Environmental Policy 2025

VII. Review:

This policy shall be reviewed from time to time but not later than five years.



Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.
Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Annexure-15

Proof of receipt of submission of Environment Statement

Environment Statement – 2024-25



HAAT SUPREME WASTECH PVT LTD <haatsupreme126@gmail.com>
to HSPCB ▾

Fri, Aug 22, 12:36 PM ☆

PLS GET ATTACHMENT

One attachment • Scanned by Gmail ⓘ Add to Drive



↩ Reply

➦ Forward



Project: "Common Bio Medical Waste Treatment Facility" of M/s HAAT Supreme Wastech Pvt Ltd, Khewat No. 119/94, Khatoni No. 157, Rect. No. 45, Killa No. 2/1, Village Bajida Jattan, near Railway Crossing, Tehsil & District Karnal, Haryana.

Half-yearly Compliance Report of EC Conditions October, 2025 to March, 2026

Photographs



Front side of CBWTF



Effluent Treatment Plant



Green area in CBWTF



Air Pollution Control Device



Stack



DG Set